Appleby Conservation Area Character Appraisal and Management Plan

June 2021



Contents

1	Introduction		
	1.1	Background to appraisal	5
	1.2	Location and setting of the conservation area	6
	1.3	Adoption and publication	8
2	Planning Policy Context		
	2.1	National Planning Policy	9
	2.2	Local Planning Policy	11
3	Character Appraisal1		
	3.1	Historical Development	13
	3.2	Heritage Assets	17
	3.3	Character Areas	18
	3.4	Townscape	45
4	Management Plan		
	4.1	Introduction	49
	4.2	SWOT Analysis (Strengths, Weaknesses, Opportunities and Threats)	49
	4.3	Consultation	50
	4.4	Conservation Area Boundary Review	51
	4.5	Protection of the Historic Environment	57
	4.6	Heritage Action Zone Scheme	62
	4.7	Local List of non-designated heritage assets	65
	4.8	Guidance and Further Information	65
5	Refe	rences	66
6	Conta	act Details	67
Ap	pendic	ces	68
	Appendix A Planning Policy		68
	Appendix B Heritage Asset Descriptions		
	Appendix C Guidance (separate document)		

Figure 1 Location Plan	6
Figure 2 Conservation Area Boundary Map	6
Figure 3 Detail from the 1754 Thanet electoral plan of Appleby (Cumbria Archive Centre, Carlisle, DLONS/L5/3/1/1/2, reproduced with kind permission by Jim Lowther in Appleby HAA)	
Figure 4 Heritage Assets	
Figure 5 Character areas	
Figure 6 Buildings front the west side of Battlebarrow	
Figure 7 Friary Fields housing development	
Figure 8	
Figure 9 Properties on Battlebarrow with deep set chamfered windows	
Figure 10 The Friary	
Figure 11 Cobble stone path to Garth Heads Road	.20
Figure 12 Buildings front the eastern side of The Sands	. 21
Figure 13 Shire Hall	. 21
Figure 14 Appleby Bowling Club	22
Figure 15 Riverside setting	22
Figure 16 Pedestrian crossing	23
Figure 17 Large road signs throughout the area	23
Figure 18 An 18th century longhouse (grade II)	24
Figure 19 Detached Victorian houses	24
Figure 20St Michaels Church (Scheduled monument and Grade II* Listed Building)	. 25
Figure 21 Junction to Mill Hill	. 25
Figure 22 Jubilee footbridge replaced in 1970	25
Figure 23 Bongate Mill (grade II)	25
Figure 24 North Lodge	28
Figure 25 South Lodge	28
Figure 26 South gate in castle wall	. 28
Figure 27 Boundary wall from Boroughgate to Scattergate	28
Figure 28 Mature trees line the road through the area	29
Figure 29 Modern residential developments to west of area boundary	29
Figure 30 Properties around Scattergate Green	30
Figure 31Scattergate green enclosed by post and chain fence	30
Figure 32 The Old Brewery and terraced properties on Doomgate	.33
Figure 33 Terraced properties on the eastern side of Doomgate	33

Figure 34 Holme Street	34
Figure 35 Fire station and guides hut	34
Figure 36 Banks Terrace	34
Figure 37 Chapel Street	34
Figure 38 Looking east along High Wiend	36
Figure 39 Former school on corner of Chapel St	36
Figure 40 Looking east along Low Wiend	37
Figure 41 Wiend House is a grade II listed building	37
Figure 42 Three storey polite architectural buildings	38
Figure 43 Commercial buildings around the market square	38
Figure 44 Attempt to unify building lines	38
Figure 45 Moot Hall	38
Figure 46 residential dwellings with front gardens	39
Figure 47 Vernacular residential buildings	39
Figure 48 High Cross	40
Figure 49 Low Cross	40
Figure 50 Cars parked in market place	40
Figure 51 Informal pedestrian crossing	40
Figure 52 looking east along Bridge Street	41
Figure 53 Vacant buildings requiring maintenance	41
Figure 54 Residential dwellings on Chapel St	42
Figure 55 Parked cars dominate the streetscene	43
Figure 56 Roman inscribed stones	43
Figure 57 Church of St Lawrence	44
Figure 58 The Cloisters	44
Figure 59 Appleby Townscape Plan	47
Figure 60 Proposed extension to the conservation area boundary	51
Figure 61 Buildings on south side of Clifford Street	52
Figure 62 Long distance views to west	52
Figure 63(left) Bellevue road (west-east) and the rear of properties on Clifford Street	53
Figure 64 (right) Long distance views from Bellevue Road (east-west)	53
Figure 65 Pembroke Street (west-east)	54
Figure 66 Pembroke Street with views to the west	54
Figure 67 Garth Heads Road	55

1 Introduction

1.1 Background to appraisal

- 1.1.1 Conservation areas are defined in planning law as 'areas of special architectural or historic interest, the character or appearance of which it is desirable to preserve or enhance' (Planning (Listed Buildings and Conservation Areas) Act 1990). Local planning authorities have a responsibility to consider the quality and interest of an area as a whole, rather than individual buildings within it. Conservation areas can bring many benefits, including giving greater controls over demolition, minor development and tree felling.
- 1.1.2 We are fortunate in Eden in having an outstanding natural and cultural landscape that we want to conserve and celebrate. There are currently 19 conservation areas in Eden outside of the Lake District National Park and Yorkshire Dales National Park. They form an important part of Eden District Council's approach to protecting and enhancing areas of particular historical and/or architectural importance.
- 1.1.3 Appleby was first declared a conservation area on the 16th November 1969 and the boundary was revised on 16th April 1981 (see figure 2) but never had a Character appraisal or management plan. This new character appraisal and management plan includes a description and assessment of the historical, architectural and townscape qualities of Appleby conservation area along with planning policies relating to the conservation of the historic environment.
- 1.1.4 This conservation area appraisal and management plan document will be adopted to serve the following key purposes:
 - Understand the significance of the conservation area;
 - Encourage the conservation, repair, reuse and management of the area's historic features:
 - Stimulate local interest in the protection and development of the conservation area;
 - Inform decision making in relation to policies within the Eden Local Plan 2014-2032
 - Inform the review of Eden Local Plan; and

 Address the challenges facing the 'at risk' area and achieve the removal of the area from Historic England's Heritage at Risk Register.

1.2 Location and setting of the conservation area

- 1.2.1 The town of Appleby-in-Westmorland is located within the Eden Valley District, approximately 14 miles to the south-east of Penrith via the A66 road (see figure 1). It is surrounded on three sides by the Pennine hills, Howgill Fell and the Lake District peaks, which form an important visual relationship with the town. The underlying geology of the Eden Valley is of New Red Sandstone, mostly comprising Lower Permian based breccias, sandstones and mudstones, but with a narrow band of Upper Permian and Triassic sandstones, including Bunter and Keaper sandstone.
- 1.2.2 The town is situated within a loop of the River Eden (a designated Site of Special Scientific Interest (SSSI) and Special Area of Conservation (SAC)) which would have provided a natural defence for the early settlement but in recent years has become a challenge with flooding events causing extensive damage to the historic fabric of the town.
- 1.2.3 The town has an estimated population of 3,000 of which the majority of persons are over the age of 40. It is classed as a key service centre within the district being one of four market towns and provides a wide range of services including educational establishments.
- 1.2.4 The town also has a station on the historic Settle-Carlisle railway line, all of which fall within the designation as a Conservation Area running north South to the east of the town centre.



1.2.5 The Appleby conservation area covers the main commercial area of the town centre, the grounds of the town's castle and church, and the surrounding historic residential areas (as shown in figure 2). The conservation area was added to Historic England's Heritage at Risk Register in 2016.

Figure 2 Conservation Area Boundary Map



1.3 Adoption and publication

- 1.3.1 This character appraisal has been subject to wide public consultation during the period of 11 October to 28 November 2021 before being considered for final approval and adoption by the Council.
- 1.3.2 A workshop was held with members of Appleby Town Council, Appleby Archaeology, Appleby in Westmorland Historical Society and EDC Appleby HAZ Programme Officer on the 24/09/2018 to discuss potential proposals to manage change in the conservation area including: amendments to the conservation area boundary, introduction of an article 4 direction and preparation of design guides.

2 Planning Policy Context

2.1 National Planning Policy

Planning (Listed Buildings and Conservation Areas) Act 1990

- 2.1.1 Section 69 requires that local planning authorities shall determine which parts of their area are areas of special architectural or historic interest and shall designate those areas as conservation areas.
- 2.1.2 Section 71 of the Planning (Listed Buildings and Conservation Areas) Act 1990 places on local planning authorities the duty to draw up and publish proposals for the preservation and enhancement of conservation areas in their districts.
- 2.1.3 Section 72 of the Act places a duty on the local planning authority in the exercise of their planning functions, to pay special attention to the desirability of preserving or enhancing the character or appearance of the area.
- 2.1.4 Section 73 of the Act requires the local planning authority to publicise proposals which would in their opinion affect the character and appearance of a conservation area. Such proposals need not be within the conservation area but would affect its setting, or views into or out of the area.

The Enterprise and Regulatory Reform Act, 2013

- 2.1.5 The ERR Act 2013 was introduced in an attempt to simplify heritage regulations. The following measures were taken into account and introduced as part of the Act:
 - Measures to provide clarity on what is and is not protected when a building is listed;
 - A Certificate of Immunity from listing can be applied for at any time;
 - The removal of the requirement for Conservation Area Consent but the retention of the requirement to obtain planning permission for demolition of buildings within conservation areas;
 - National and local class consents which automatically grant consent for certain works to listed buildings; and
 - The introduction of a Certificate of Lawfulness of proposed works to listed buildings.

- National Planning Policy Framework (NPPF), DCLG, 2021
- 2.1.6 The National Planning Policy Framework (NPPF) was published by the Department for Communities and Local Government (DCLG) in 2012 and updated in July 2018, February 2019 and then again in July 2021. It sets out the Government's planning policies for England and specifies how these policies should be applied.
- 2.1.7 NPPF Chapter 16: Conserving and enhancing the historic environment sets out policies to conserve heritage assets in a manner appropriate to their significance. The term significance means the value of a heritage asset to this and future generations. This heritage value may be architectural, archaeological, artistic or historic. Key paragraphs relating to development within conservation areas are outlined in appendix A.

Advice Notes

- 2.1.8 Historic England is the Government's adviser on the historic environment in England. They have published a number of advice notes intended to assist local planning authorities, planning and other consultants, owners, applicants and other interested parties in implementing historic environment policy contained within the NPPF and Planning Practice Guidance. A list of the documents can be found in appendix A and can be downloaded from Historic England's website https://historicengland.org.uk/images-books/publications/.
- 2.1.9 The document Conservation Principles (2008) sets out criteria used to determine the significance of heritage assets. Significance is assessed against four heritage values:
 - **Evidential value** the potential of a place to yield evidence about past human activity.
 - **Historic value** derived from the way the past can be connected to the present, it can be illustrative or associative.
 - **Aesthetic value** the ways in which people draw sensory and intellectual stimulation from a place.
 - **Communal value** derived from collective experience or memory

2.1.10 A consultation on a revised Conservation Principles document closed in February 2018 and Historic England are working to publish a new version.

2.2 Local Planning Policy

Local Development Plans

- 2.2.1 The NPPF 2021 (paragraph 190) sets out policies for the preparation of Local Development Plans by the local planning authority. To be compliant with the NPPF local development plans should set out a positive strategy for the conservation enjoyment of the historic environment including heritage assets most at risk of neglect, decay and other threats. The strategy should take account of the following:
 - the desirability of sustaining and enhancing the significance of heritage assets and putting them to viable uses consistent with their conservation;
 - b. the wider social, cultural and environmental benefits that conservation of the historic environment can bring;
 - the desirability of new development making a positive contribution to local character and distinctiveness; and
 - d. opportunities to draw on the contribution made by the historic environment to the character of a place.
- 2.2.2 The Eden Local Plan sets out how we are planning to manage the growth of new jobs, homes and infrastructure in Eden over the period 2014-2032. Table 1 in appendix A outlines the key policies relating to the historic environment of the Eden District as contained in the Eden Local Plan 2014-2032.
 - **Supplementary Planning Documents**
- 2.2.3 The role of Supplementary Planning Documents (SPD) is to provide guidance on local planning matters. The Management of Conservation Areas SPD adopted in March 2011 provides guidance to the public and developers when considering proposals in conservation areas. It is also used as a material planning consideration in the determination of relevant planning, advertisement, listed building and conservation area consent applications as well as to inform management issues in our town centres and villages designated as conservation areas. It complements other SPDs namely:

- Eden Design Guide Summary (1999)
- Shopfront and Advertisement Design (2006)
- Accessible and Inclusive Environment (2005)
- Housing (2019)
- Cumbria Landscape Character Assessment Toolkit (2011)
- North Pennines Area of Outstanding Natural Beauty (AONB) Building Design Guide (2011)
- North Pennines Area of Outstanding Natural Beauty (AONB) Planning Guidelines (2011).

Neighbourhood Planning

- 2.2.4 The 2011 Localism Act introduced a new set of tools to help neighbourhoods to come together and shape the future of their local areas. The first of these tools is a neighbourhood plan. Neighbourhood Planning enables Town and Parish Councils or Neighbourhood Forums to prepare, with the community, a formal planning document for their area. It allows local people to take a proactive role in shaping the future of the areas in which they live and greater ownership of the plans and policies for development that affect their local area.
- 2.2.5 A second tool is a Neighbourhood Development Order which allows neighbourhoods to grant permission for certain types of development within in their area, without having to apply for planning permission from the District Council.
- 2.2.6 Within the Eden District there are 13 parishes designated as a Neighbourhood Planning Area which is the first step in the process and enables a parish or a designated area to produce their own neighbourhood plan or development orders. See appendix A for the full list.

3 Character Appraisal

3.1 Historical Development

- 3.1.1 Appleby was originally the county town of Westmorland until the county boundaries were changed in 1974.
- 3.1.2 The town has numerous associations to famous persons and historical families such as the Heelis family. The most well-known is the association to the Clifford family who took over ownership of the castle in the 13th century. The coffin of Lady Anne Clifford is laid in a vault within the church next to a memorial to her mother Margaret, Countess of Cumberland. Of a more recent association, George Washington's father was educated at Appleby Grammar School.
- 3.1.3 The conservation area contains considerable evidence of the town's phased development from its Norman occupancy to the present day. It has been suggested by some that there may have been a Roman fortlet at the site of the present castle but to date there is no sound evidence.

Medieval Period

- 3.1.4 Early inhabitation seems to have been in the Bongate area centred around the Church of St Michael's and the ford that provided a crossing over the river to the castle. The settlement at Bongate was referred to as 'Old Appleby' in a lawsuit of 1265 suggesting that it pre-dated the main town¹.
- 3.1.5 Appleby Castle is evidence of a Norman defensive structure the remaining earthworks date to c.1095 and the lower part of the stone keep dates to c.1110. However it may have replaced an earlier motte and bailey on the site. The lower part of the tower at the Church of St Lawrence also dates to c.1150.
- 3.1.6 There is a low potential for surviving archaeological remains relating to the friary which was formerly located in the site of the modern housing development off Battlebarrow Road.

¹ Nicholson and Burn 1777; Holdgate 2006, 30

- 3.1.7 Appleby is a historic market town and borough planned by Ranulf le Meschin early in the 12th century, linking the castle and the church². By the early 14th century Appleby was well established as the county town for Westmorland and a market centre for the region³. The plan form of the town is characteristic of a medieval town with a long thoroughfare (Boroughgate) and narrow lanes called 'wiends' leading off to surrounding areas. There is also evidence of burgage plots lining Boroughgate and the market place.
- 3.1.8 As a result of the Border Raids during the mid-late medieval period much of the town was left in a ruinous state. The surviving castle show signs that it was strengthened repeatedly during this period and the main body of the Church dates from the 14th and 15th centuries. It was not until the early 17th century with the arrival of Lady Anne Clifford did the town begin to revive.

17th century development

- 3.1.9 A period of new and restored building during the 17th century is evident within the town under the influence of Lady Anne Clifford and Thomas, the Earl of Thanet. A few examples include: restorations to the Church and rebuilding of the north chapel and chancel (1655); renovations to the castle (1651); St Anne's Hospital Almshouses built to house local widows (1651); and the Palladian Mansion (1690).
- 3.1.10 Aside from the latter great schemes, Appleby also went through a small expansion of residential developments including the rows of houses on Battlebarrow and a cluster of longhouses at Bongate.


18th century development

² Taylor et al (eds), 2019

³ Holdgate 2006, 104

- 3.1.11 The history of Appleby in the 18th century is to some extent characterised by the struggle for control of the borough's electorate in what became a notorious pocket borough. In 1754, a series of electoral survey plans of Appleby were produced in order to indicate the burgages whose owners were permitted to vote in Parliamentary election in response to that year's contested result between the candidates of Sir James Lowther and Sackville Tufton, the Earl of Thanet⁴. These plans comprise the earliest dated cartographic evidence for the layout of the town.
- 3.1.12 A phase of modernisation and gentrification came in the 18th century when many new houses were constructed and a significant number of existing buildings were re-fronted all in a local vernacular style. Visible evidence includes the original line of some buildings shown on their gable elevations, the over-key of quoins and incorporation of earlier date stones.
- 3.1.13 The town's administrative buildings were also revitalised with the Moot Hall rebuilt in parts in 1769 and the construction of a new county court and gaol in the Sands area in 1770.

Figure 3 Detail from the 1754 Thanet electoral plan of Appleby (Cumbria Archive Centre, Carlisle, DLONS/L5/3/1/1/2, reproduced with kind permission by Jim Lowther in Appleby HAA)



⁴ Holdgate 2006, 45, 156, 194-6

- 19th century development
- 3.1.14 The rapid development of industry in the 19th century influenced much development in the town.
- 3.1.15 A tannery and gas works established at the end of Chapel Street in 1837 and subsequently led to the development of terraced properties along the street. Archival and census records show that these buildings were also home to shoemakers suggesting there may have been a cottage industry in the area. A brewery was located on Doomgate and the bobbin mill at the south of Boroughgate is instead marked as a second brewery on historic maps. The northern half of Boroughgate and Bridge Street developed a commercial character with shop fronts being inserted into existing buildings along with the construction of two new banks⁵.
- 3.1.16 The coming of the railway in 1876 brought a further phase of development to the east of the town, with numerous terraces of Victorian townhouses constructed on the elevated land between the railway and the river to the north east of the old town. Within the town centre new materials from across the country also began to feature in building construction for instance stone chimneys began to be replaced with yellowish coloured brick and new brick terraced houses were constructed particularly in Chapel Street and Holme Street. However the use of brick did not become widespread and the character of the town was not radically changed by its introduction.
- 3.1.17 This was also a period of out-of town villa building, for example Bongate Cottage and Battlebarrow House which were built for members of the Heelis family to a Gothic style.
 - 20th century development
- 3.1.18 During the 20th century, changes in the town were largely for amenity and leisure facilities. The Sands area developed to service the motor car industry with the establishment of a few garages. Also a medical centre is now located on the site of the former tannery and gas works.

⁵ Taylor et al (eds), 2019

- 3.1.19 There was also some expansion of housing with the post-war housing estates establishing to the west of Scattergate and piecemeal developments including the Friary Fields site off Battlebarrow. Interestingly the first phase of the Scattergate Green housing estate is quite sympathetic in its design by referencing the local vernacular style and replicating the former field strips in its street layout⁶. In recent years housing estates have developed to the east of Bongate and Garth Heads Road (outside of the conservation area).
- 3.1.20 Several structures were also built as war memorials. The Boer War memorial at the junction of Bongate and Mill Hill was erected in 1902 and the town's main war memorial in St Lawrence's churchyard was unveiled in 1921.

 Appleby Cemetery was laid out in 1910⁷.
- 3.1.21 Appleby lost some of its administrative significance when Cumberland and Westmorland were combined to form Cumbria in 1974 and Carlisle became the county town. Also in the early 1980s passing traffic was rerouted out of Appleby with the opening of the Appleby Bypass section of the A66⁸ ultimately leading to a reduction in passing trade. However Appleby remains an important market and commercial centre for the Eden region.

3.2 Heritage Assets


3.2.1 There are a total of two scheduled monuments, 183 listed buildings and structures and one registered park & garden found within the conservation area boundary, as shown on figure 4. The list descriptions for these designated assets are contained within appendix B along with notes about their present condition.

⁶ Taylor et al (eds), 2019

⁷ Holdgate 2006, 218

⁸ Taylor et al (eds), 2019


Figure 4 Heritage Assets



3.3 Character Areas

3.3.1 he conservation area can be divided into nine individual character areas as shown on figure 5.

Figure 5 Character areas



Character area 1 Battlebarrow

3.3.2 The area defined as character area 1 comprises of a part of the town called Battlebarrow on the east side of the river Eden and which is an ancient main road into/ out of the town from the north (it forms part of the trans-Pennine route between Scotch Corner and Penrith). The north-east section of the area is known to be the site of the former 13th century house and grounds of the Whitefriars but which is now home to a modern cul-de-sac housing estate. The River Eden meanders through the south-west section of the area providing a riverside setting for some residential properties.

Figure 6 Buildings front the west side of Battlebarrow

Figure 7 Friary Fields housing development





- 3.3.3 There are a number of grade II listed buildings including: No.11 Battlebarrow which features a date stone/inscription pertaining to the 17th century; Nos 1-10 Battlebarrow of 18th century origin; and The Friary (19th century).
- 3.3.4 The vast majority of buildings in the area are two storeys in height and constructed of a variety of materials including: dressed sandstone, sandstone rubble, brick, or stone and a small number have been rendered. The roofscape comprises of either Westmorland blue slate or green slate with a mixture of sandstone, brick, or rendered chimneys. The majority of windows in non-listed properties have been replaced with either uPVC casements or modern sash styles although a small number of 4, 12, and 16 pane sliding sash windows remain. The windows are set in painted and chamfered stone surrounds. Many doors have been replaced with uPVC but there are also many traditional timber doors that remain. Door surrounds are a mixture of painted stone surrounds and stone quoin surrounds.

Figure 9 Properties on Battlebarrow with deep set chamfered windows

Figure 8





3.3.5 The terraced properties Nos 1-12 Battlebarrow and Riverside Court provide a built and active frontage to the western side of the road with a varied roof line. In contrast the buildings located to the eastern side, at an elevated position along Garth Heads Road are detached Victorian houses with large gardens. The 19th century classical inspired Friary is also set in its own private enclosed grounds on part of the site of the former Whitefriars. It is reached by a long straight drive from Battlebarrow with entrance gates with rusticated piers and finials.

Figure 10 The Friary



Figure 11 Cobble stone path to Garth Heads Road



3.3.6 The area is predominantly residential area with the exception of a private office and a funeral directors business. Street furniture is minimal and includes modern streetlamps and a public bench. Road signs are predominantly found around the junction between Battlebarrow/ Station Road and Station Road/ Garth Heads Road.

Character area 2 The Sands

3.3.7 The area defined as character area 2 comprises of the part of the town centre known as The Sands to the south of Battlebarrow and also part of the ancient route. It is bounded to the east by the River Eden and is a popular location with the travelling community for bathing their horses during the annual horse fair. A small number of 17th and 18th century buildings remain but the vast majority of buildings in the area are of 19th century origin. A small number of these buildings contribute to the historical development of the town and have been designated as grade II listed buildings, including the police station (18th century) and Shire Hall (18th century) which relate to the development of the assizes during the town reign as the county town of Westmorland.

Figure 12 Buildings front the eastern side of The Sands Figure 13 Shire Hall





3.3.8 Buildings located along the eastern side of the road and its western side from south of the bridge onwards are predominately two storeys in height with a small number of three storey buildings also existent. They are constructed of a variety of materials including: local dressed red sandstone, stone and brick with a high proportion of buildings finished with a rough render. The roof coverings are either Westmorland blue slate or green slate with the majority of chimneys constructed in red brick or stone. Kneelers survive on a small number of roof ridges.

- 3.3.9 The majority of windows have been replaced with either uPVC casements or modern sash styles although a considerable number of 4, 12, and 16 pane sliding sash windows remain. Sandstone window surrounds are a common feature of buildings in the area along with quoins. Many doors have been constructed of and/or replaced with uPVC or modern timber and are set in sandstone or painted stone surrounds. A couple of doors also feature hood moulds and fanlights.
- 3.3.10 The garage formerly owned by Roy Ashley Motors Ltd located on the western side of the road was demolished in 2018 and a new Co-Op retail shop was constructed on the site in 2019/2020.
- 3.3.11 The river Eden continues its path south along the western edge of this area. The riverside, bowling green and woodland to the rear of Shire Hall provide patches of open and green space within the built form. Garth Heads Road provides the eastern boundary of the area. It runs parallel to The Sands but is situated at a higher elevation and thus offers long distance views across the town and of key landmarks such as the Castle tower and the Church of St Andrew.

Figure 14 Appleby Bowling Club



Figure 15 Riverside setting



3.3.12 The area is dominated by through-flow traffic and parked cars using the disc zone parking bays on either side of the road. The junction with Bridge Street is heavily used and the high number of traffic signs plus the pedestrian crossing with traffic island and guardrails reflects this.





Character area 3 Bongate

- 3.3.13 The area defined as character area 3 is known as Bongate and is considered to be the earliest area to have been settled in the town. The character area includes Bongate, Mill Hill and land by the river. It is a residential area with private homes and guest accommodation. The Royal Oak public house is the main communal building within the area. It is formed by a multi-phase range of abutted buildings on the eastern side of the road that were once in separate ownership. There are 22 listed buildings designated for their historical interest and contribution to our understanding of how the area developed during the 18th and 19th centuries.
- 3.3.14 In some parts, buildings line both sides of the street but there are also long stretches of tree lined fields on the west side behind a substantial sandstone wall which adds to the character of this area. Buildings are predominantly two storeys of a mixture of styles including: 18th century longhouses of cross passage type, paired houses and detached villas of 19th and 20th century origin. Some buildings front the roadside but the majority are set back with front gardens bounded by sandstone boundary walls. As the road heads south from the junction with Mill Lane, it has been embanked above as it climbs the hill so it rises above the ground floor of some of the buildings which line it.

Figure 18 An 18th century longhouse (grade II)

Figure 19 Detached Victorian houses





- 3.3.15 Buildings are not uniform in appearance; they are constructed of a variety of materials with a rough render finish, Westmorland green slate roof covering and brick chimneys being the most dominant materials used. More than half of the buildings have windows constructed of or replaced with uPVC and windows are set in sandstone or painted stone surrounds. Many doors have also been constructed of or replaced with uPVC although a small number of traditional timber doors survive. Low numbers of chamfered stone door surrounds, hood moulds and fanlights also feature in the area.
- 3.3.16 St Michael's church stands at the core of Bongate at the junction of Bongate and Mill Hill. The sandstone wall surrounding the grounds to Courtfield Hotel (formerly a vicarage) incorporates architectural features relating to St Michael's Church prior to its remodelling in the 19th century. The junction is also home to the Appleby Boer war memorial which was recently designated in January 2019 as a grade II listed structure. The junction is currently dominated by parked cars and has potential to be enhanced as a landmark area.

Figure 20 St Michaels Church (Scheduled monument and Grade II* Listed Building)



Figure 21 Junction to Mill Hill



3.3.17 The river flows through the south west part of the area and provided power for Bongate Mill – the present Mill building is dated 1838 but likely replaced an earlier mill. The riverside here is now maintained public green space.

Benches and an informal parking area have been created next to the Jubilee foot bridge and weir crossing that leads to Castle Park.

Figure 22 Jubilee footbridge replaced in 1970



Figure 23 Bongate Mill (grade II)



3.3.18 Buildings of note within this character area include: Bongate House, Beechcroft (formerly known as Bongate Cottage), Rose Cottage, Old Hall (formerly Town Head), The Terrace, Bongate Mill and Bongate Hall. 3.3.19 Bongate Hall has been considered for statutory designation by Historic England but did not make the National Heritage List for England (NHLE). It may be worthy of designation as a locally important building.

Character area 4 Appleby Castle

3.3.20 The grounds of Appleby Castle occupying an area of elevated ground alongside the bank of the river Eden, overlooking the town, make up character area 4. The castle grounds are designated as a Registered Park & Garden and comprise of a mixture of landscaped gardens and woodland areas bounded by high sandstone walls that feature small access gates. The 13th century castle, the keep (Caeser's tower) and the gateway to the castle courtyard are grade I listed buildings in use as a multi- functional event venue offering accommodation. The 17th century former coach house and stables complex and Lady Anne's beehouse are also grade I listed buildings. All of the latter designated buildings stand within the area of the Castle Park which is designated as a Scheduled Monument. The sandstone walls to the north and west boundary of the park are designated as grade II listed structures.

- 3.3.21 The character of the area is dominated by the architectural grandeur of the main castle buildings, its topographic setting and the mature trees covering the parkland. The castle mound is visible from several points around the town but the large mature trees provide screening to the keep and castle. Key views to and from the castle are retained along the north-south alignment of Boroughgate linking the castle and parish church⁹. The 19th century North Lodge (grade II) is a prominent landmark in views looking south along Boroughgate.
- 3.3.22 In conjunction with opening up parts of the castle and grounds for visitors there is, an excessive amount of commercial signage at the north entrance gates to the castle grounds advertising upcoming events; a small car park inside the north entrance; many footpaths have been resurfaced using concrete; and some rooms have been converted for use by restaurant and hotel guests.
- 3.3.23 Two buildings which form part of the Appleby Castle complex are on the Heritage at Risk register, the keep and the former coach houses and stables complex. In recent years the keep has been through a programme of structural conservation, supported through the Historic England Heritage at Risk grant-aid programme.

⁹ Taylor et al (eds), 2019

Figure 24 North Lodge



Figure 25 South Lodge



Figure 26 South gate in castle wall



Figure 27 Boundary wall from Boroughgate to Scattergate



Character area 5 Scattergate

3.3.24 The residential area of Scattergate which developed around the former southern entrance to the Castle grounds forms character area 5. The settlement here developed around three access points to the town: Parkin Hill, Colby Lane and the river crossing at Bongate. The road is lined by mature trees creating an aesthetically pleasing route through the historic area.

3.3.25 A large triangular green is a significant feature of the area and properties generally front its western side, some set back with large gardens bounded by sandstone walls. Two blocks of modern flats border the northern edge of the green on the short section of road that curves from Scattergate into Colby Lane. Post-war and modern residential estates border the area to the north-west providing a busy background to the surviving historic buildings of dense modern housing. The access road into the housing estates bisects the original footprint of the green. The eastern side of the area is bordered by the castle boundary wall and heavily vegetated grounds.

Figure 28 Mature trees line the road through the area

Figure 29 Modern residential developments to west of area boundary





3.3.26 The 18th, 19th and 20th century buildings located within the area are predominantly two storeys and constructed of a mixture of materials including: sandstone rubble, rough cast render and smooth render with Westmorland green slate roof coverings. The majority of windows and doors have been constructed of or replaced with uPVC and only a handful of buildings retain traditional 4 pane sliding sash windows. Window and door surrounds are of sandstone or painted stone and buildings lack architectural or historic features of interest.

- 3.3.27 Nos. 2,4,5 & 7 Scattergate Green are two pairs of semi-detached council built houses of a design seemingly intended to sympathetically mimic the local vernacular style through use of familiar building materials and style for the street facing facades as that of the earlier housing in the area¹⁰.
- 3.3.28 Castle Bank located on the cliff over the river Eden is largely hidden from view by mature trees and is of a style in notable contrast to the vernacular housing around the green.
- 3.3.29 Only a small number of buildings are designated grade II listed buildings such as No.5 Scattergate Green.
- 3.3.30 Street furniture is minimal including a low post and chain fence enclosing the green, modern streetlamps, a litter bin in the centre of the green and a low number of road signs. Parked cars detract from the visual setting of the green area.

Figure 30 Properties around Scattergate Green

Figure 31Scattergate green enclosed by post and chain fence





Character area 6 Doomgate, Holme Street and southern end of Chapel Street

3.3.31 The residential areas of Doomgate, Holme Street and south-west end of Chapel Street form character area 6.

¹⁰ Taylor et al (eds), 2019


Doomgate

- 3.3.32 Doomgate is a residential area (with the exception of a royal mail depot) that developed in conjunction with the former brewery during the 18th and 19th centuries under the influence of the Hoffield Estate. For a street so close to the centre of the Norman town there are also agricultural and industrial buildings, something which is unusual for Appleby¹¹.
- 3.3.33 The buildings front the street on either side of the road and are a similar height, and scale with the roofscape dominated by large TV aerials. They are constructed of a variety of materials but have a consistent vernacular style and features. Construction materials include: sandstone or rough cast render walls with Westmorland blue slate, green slate or modern tile roof coverings, and brick chimneys. Windows are a mixture of 4 pane sliding sash and uPVC casements with timber casement, modern sash replicas and multiple pane sliding sash windows also evident. Surrounds are a mixture of sandstone and painted stone.
- 3.3.34 Historic maps show there were two breweries with associated malt kilns on Doomgate: one on the western side of the road to the rear of the present Nos 2-4 Doomgate; and one on the eastern side of the road known today as the Old Brewery. The Old Brewery was converted into a dwelling house in 1980 and the former malt kilns have also been converted into dwellings (The Shieling and Barley Cottage).

¹¹ Taylor et al (eds), 2019

- 3.3.35 The Old Brewey building (now re-fronted) is set forward to the adjacent terrace and the north gable is prominent in views from the north. Breaks in the street frontage include access points to the buildings located to the rear of the Old Brewery and one area between terraced properties that is overgrown with vegetation. The southern part of the area/road is narrow and bordered by a high sandstone wall at the foot of a raised landscape/ topography of fields and mature trees. The Shieling and Barley Cottage (former malt buildings) have an unusually low arch which may suggest that the road level was originally lower than at present. The north elevation of the Shieling property is also prominent in views from the north.
- 3.3.36 Nos 1-18 Doomgate and The Old Brewery are designated as grade II listed buildings.
- 3.3.37 Disc zone parking areas and informal parking areas/ paved drives dominate the street scene along with flowing traffic between Doomgate and Scattergate. Street furniture includes modern streetlamps, parking and road signs.

Figure 32 The Old Brewery and terraced properties on Doomgate







Holme Street

- 3.3.38 Holme Street extends west from Doomgate towards the river. Banks Lane is a lane off Holme Street with two houses called Banks Terrace. The area developed piecemeal with small groups of buildings. The Armoury located on the south side of the street is one of a few 18th century buildings and is the only designated listed building. The north side of the street has rows of 19th and 20th century residential dwellings. The western end of the street is home to modern developments including Holme Court housing estate, the fire station, a care home and a guides hut. There are plans to demolish the existing care home and build a new facility on its site.
- 3.3.39 Buildings on the southern side of the street are set back from the road in larger plots but those on the north side are grouped in pairs and terraces fronting the street with small boundary walls and railings. The main construction materials consist of: sandstone rubble, brick and render walls with Westmorland blue slate, green slate or modern tile roof coverings and brick chimneys. Doors and windows are predominantly constructed of uPVC with timber and sliding sash windows also present.
- 3.3.40 Street furniture includes public footpath signs and modern streetlamps. Disc zone car parking dominates the street.

Figure 34 Holme Street

Figure 35 Fire station and guides hut





Figure 36 Banks Terrace

Figure 37 Chapel Street





Chapel Street

- 3.3.41 The southern end of Chapel Street also has a mixed character with houses, the former Tabernacle Chapel of 1837 (now community centre & café), the former National School of 1871 (now a garage shop) and a garage. The 19th century terraced properties located on the south-west side of Chapel Street are two storied constructed of sandstone with brick frontages, Westmorland blue slate roofs with brick chimneys, uPVC windows and doors, and have small front gardens with brick boundary walls.
- 3.3.42 There are plans, subject to obtaining planning approval, to erect a new flood risk management facility within the Broad Close car park.

Character area 7, Boroughgate and adjoining Bridge Street, High Wiend and Low Wiend

High Wiend

- 3.3.43 High Wiend is a single lane road forming part of the one-way traffic gyratory in the town centre and runs from Boroughgate to Doomgate and Chapel St.
- 3.3.44 The road is narrow at the junction with Boroughgate and the buildings here are large in height and scale creating a tight knit enclosed space. The road widens as it reaches Doomgate and the buildings are smaller in height. The open feeling of the west end of the street is emphasised by the lack of buildings on the south side of the road although the stone boundary wall around the grounds of Red House Cottage continues the street frontage to an extent. The street frontage is broken by access points to rear yards of properties. The road has minimal street furniture with some road signs at the junctions, few modern streetlamps and minimal signage on commercial properties (shops, public house, hair & beauty salon).
- 3.3.45 One building is of 17th century origin but the remaining buildings are a mixture of 18th and 19th century origin. They are constructed of a mixture of sandstone, roughcast and pebble dash render with a mixture of timber casement and various pane sliding sash windows. The construction materials of the buildings indicate a building hierarchy with higher quality materials being used in the larger commercial buildings to the Boroughgate end of the street and lower quality materials used for residential properties towards Chapel St.
- 3.3.46 There are seven grade II listed buildings on the street including No.1 High Wiend which is in need of structural repairs.

Figure 38 Looking east along High Wiend

Figure 39 Former school on corner of Chapel St






Low Wiend

- 3.3.47 Low Wiend is a second single lane road forms part of the one-way traffic gyratory around the town centre. It is narrower at the junction with Boroughgate and wide at the junction with Chapel St due to a previously demolished building creating more space there. The road contains minimal street furniture with few road signs and markings at junctions, and minimal signage on commercial properties (shop, laundrette and café).
- 3.3.48 Sandstone and sandstone rubble buildings front the south side of the street creating an active frontage that is broken by access alleyways to rear yards. They are of 19th century origin with the exception of the 18th century grade II listed Wiend House (formerly known as Clock House). The ground floor of the buildings have been altered and 20th century shops have been inserted with Victorian style shop fronts. The north side of the street is occupied by modern buildings housing the town library and mixed commercial uses.

Figure 40 Looking east along Low Wiend







Boroughgate

- 3.3.49 Boroughgate is the main street within the town descending from the Castle at the southern end to the Cloisters and the Church at the northern end. The former market place is also at the northern end. The street is home to forty eight grade II listed buildings and five grade II* listed buildings including the Moot Hall. The Moot Hall was added to Historic England's Heritage at Risk Register in autumn 2020.
- 3.3.50 The character of the street is varied. The north end (around the market place) is commercial in nature with predominantly three storey polite architectural buildings constructed of high quality materials, elaborate architectural features, Victorian and Georgian shop fronts, and a varied roof line peppered with large decorative chimneys. Many buildings appear to have been rebuilt or re-fronted in the 18th century. The over-key of quoins visible on some buildings is evidence of an attempt to unify building lines. The 16th century Moot Hall is a landmark building located within the centre of the street/ market place.

Figure 42 Three storey polite architectural buildings



Figure 44 Attempt to unify building lines





Figure 43 Commercial buildings around the market square

Figure 45 Moot Hall





- 3.3.51 The junction to High Wiend creates a break in the street front and marks a point where the commercial shops end and the residential properties begin.
- 3.3.52 As the road travels south towards the castle it inclines and is lined by mature trees that add a natural element to the aesthetic appearance of the town centre. The trees also provide some screening of the 2 storey 18th and 19th century residential properties that are set back from the road side and wide grassed verges enclosed by low post and chain fences. The majority of these residential dwellings have small front gardens surrounded by sandstone boundary walls and iron railings. These buildings are more vernacular in style and materials with predominantly sandstone and sandstone rubble walls, Westmorland green slate roofs and sliding sash windows in sandstone or painted stone surrounds, and a small number of doors with fanlights.

Figure 46 residential dwellings with front gardens

Figure 47 Vernacular residential buildings





3.3.53 Two grade II* market cross monuments (High and Low Cross) mark the north and south ends of the road and the historic market areas. There are long distance views of the castle and the church at either end. Both High and Low Cross have undergone some repair and redecoration works in recent years. The works included taking samples of the paint to establish the original materials and colours used on the monuments so that they could be restored to their original appearance.

Figure 48 High Cross



Figure 49 Low Cross



3.3.54 Street furniture includes a mixture of Victorian lamp posts and modern streetlamps, road signs, a traditional black & white direction sign, benches and litter bins. The area is a busy circulation route and frequently has a high number of parked cars in the disc zone parking bays which line both sides of the road and around the former market place. Informal pedestrian crossings and traffic calming ramps have been created using paving stones which is considered more sympathetic to the historic environment than a formal crossing with lights and road markings.

Figure 50 Cars parked in market place



Figure 51 Informal pedestrian crossing



Bridge Street

- 3.3.55 Bridge Street extends eastwards from Boroughgate and terminates on the far side of St Lawrence's Bridge (1888-1889). The 18th and 19th century buildings on Bridge Street front both sides of the road and are larger in height/scale on the southern side. The buildings offer commercial services such as cafes on the ground floor (some ground floor premises are vacant) and have residential accommodation in upper floors. They are typically constructed of a mixture of sandstone and ashlar walls with Westmorland blue slate roofs and sliding sash windows in sandstone surrounds. Most shop fronts are modern replacing original features and have recessed entrance doors. A small number of buildings retain architectural features such as classical style columns, bar tracery and a hood mould.
- 3.3.56 The road is dominated by traffic being the primary route over the river into the town centre. Traffic management includes road signs by the bridge and a speed bump with associated road markings.

Figure 52 looking east along Bridge Street



Figure 53 Vacant buildings requiring maintenance



Character area 8 Chapel Street

3.3.57 In addition to the terraced residential properties the area defined as character area 8 includes the recreational field and the 20th century leisure facilities, health centre and funeral directors to the north end of Chapel Street along with the library and commercial premises located on the north side of Low Wiend. There are twenty six grade II listed buildings within the area.

- 3.3.58 Chapel Street was originally known as 'the lane leading to the Butts' then 'Butts Lane' referring to the recreational land in the loop of the river where men went to practice archery. It later became 'Chapel Lane' and the present 'Chapel Street' after the former Wesleyan Chapel of 1823.
- 3.3.59 Residential dwellings are predominantly 19th century two storey terraced properties that create an active street frontage on the east side of Chapel St. Those to the northern end were built first. They are set back from the road and have front gardens with sandstone boundary walls. Rear yards are accessed by alleyways creating breaks in the street frontage. The buildings comprise of a consistent materials palette and architectural features (roughcast or pebble dash walls, Westmorland green slate roof, brick chimneys, sandstone and painted stone surrounds). Windows are a mixture of 4 pane sliding sash windows and modern replica sash windows.

Figure 54 Residential dwellings on Chapel St





3.3.60 The river flows through the west section of the area creating a riverside setting for the leisure facilities. King George's Field -the recreational field- is enclosed only on the east side by a 19th century low sandstone boundary wall featuring the Bainbrigg Stones – a 16th century antiquarian collection of an original roman altar piece and copies of other roman inscriptions. The Bainbrigg Stones were designated grade II listed structures in 2020. The wide vistas across the field are important giving the street a suburban character. The area is dominated by traffic, parked cars and associated signage. Street furniture includes modern streetlamps and floodlights for the playing field.

Figure 55 Parked cars dominate the streetscene



Figure 56 Roman inscribed stones



Character area 9 St Lawrence's Church

- 3.3.61 Character area 9 is home to the grade I listed St Lawrence's Church and its grave yard, the grade II* listed cloisters, the vicarage, a residential dwelling (former Vicarage) and Appleby cricket ground with pavilion (erected 2019/2020). The Appleby War Memorial located within the churchyard is also designated as a grade II listed building. The area has a riverside setting interspersed with large mature trees and is bordered to the south by the historic core of the town.
- 3.3.62 This character area with its open views is a significant element within the conservation area. There are key viewpoints to and from the church and churchyard across the River Eden to the north and to the east, particularly on the rising land above the town to the train station. The Church and the Cloisters are prominent landmarks in the town with the church tower being visible in long distance views from Boroughgate, the castle and other areas of the town.
- 3.3.63 This low lying area has an established history of flooding and flood risk management schemes were implemented across the churchyard and cricket ground between 2005 and 2014. The railings around the churchyard were badly damaged in a recent flooding event and were replaced under the Appleby Heritage Action Zone grant scheme.

Figure 57 Church of St Lawrence

Figure 58 The Cloisters





3.4 Townscape


- 3.4.1 The townscape of Appleby conservation area has seen moderate change over the last 10 years comprising of: replacement of windows and doors; replacement of roof coverings; extensions to buildings primarily to create extra/larger living space including sun rooms and garages; change of use of buildings with an appetite for residential accommodation; installation of measures for flood resilience e.g. flood gates; and pruning/felling works to trees. There has been minimal demolition and new development works across the conservation area. Minor developments include the construction of individual dwellings in the Doomgate/ Holme Street character area. The major developments, as previously mentioned, include: the new cricket pavilion and the new Co-Op retail store.
- 3.4.2 Appleby has a considerable amount of green space and recreational land that creates an attractive townscape and is a key characteristic of the conservation area (see figure 59).
- 3.4.3 The following buildings are considered to be of importance to the character and development of the conservation area but which do not meet the criteria for nationally designated heritage assets.

- Charnwood
- Elmbank
- The Pumphouse
- Jitty Cottage
- Kingdom Hall
- Sands Methodist Church
- St Michael's Court and School House
- 15 Bongate
- Bongate Hall
- Howgill House
- Rock Cottage
- War memorial monument
- 1 Colby Lane
- Scattergate House
- 1-2 Banks Foot
- Former Tabernacle chapel (The Hub)
- 36-40 Chapel Street
- Former school (H Pigney's & Son garage shop)
- 20-24 Boroughgate
- Bobbin Mill
- Bobbin Mill Cottage

3.4.4 There are many key viewpoints and vistas around the town which are considered important to the character of the conservation area for many reasons including that they point our direction to landmark buildings/structures. These key viewpoints are indicated on the townscape plan below (figure 59).







4 Management Plan

4.1 Introduction

- 4.1.1 Section 71 of the Planning (LBCA) Act 1990 places a duty on the local planning authority to prepare and publish proposals for the preservation and enhancement of conservation areas. This management plan is an example of the proposal envisaged in section 71.
- 4.1.2 It is important that this document is not read in isolation from additional guidance and policy documents. Where applicable, relevant policy documents and additional guidance has been provided below.
- 4.1.3 Conservation areas are not frozen entities and should not be seen in isolation from their surrounding context. Therefore it is essential that this management plan remains flexible and is reviewed and monitored on a regular basis to ensure that the policies and proposals contained within it remain relevant to the changing ambitions and issues of the conservation area.

4.2 SWOT Analysis (Strengths, Weaknesses, Opportunities and Threats)

4.2.1 Despite its issues, Appleby is a dynamic place where people live, work and visit. The conservation area designation is not designed to preserve what is there at present, but is intended to guide change and to enable development which makes the best use of the area's attributes for the benefit of all. There are a number of measures which can be taken to actively preserve the qualities of the area and to promote improvement.

Strengths	Weaknesses	
Consistent materials palette	Replacement windows and doors	
Riverside setting	Some loss of historic features	
Strong views and vistas	Parked cars and traffic	
Mature trees	Vacant buildings	
 High number of designated heritage assets 	Lack of planning and conservation guidance documents	
Historical development displayed in buildings and layout		

Opportunities	Threats	
 Character appraisal and management plan Local List of Heritage Assets Heritage Action Zone Conservation area boundary review Article 4 Direction Review and update of list descriptions for designated assets Historic Area Assessment Public realm areas Reuse of vacant buildings 	 Risk of flooding Continued loss of historic features and materials Lack of investment and continual pattern of vacant buildings 	

4.3 Consultation

- 4.3.1 EDC's conservation officer attended the Town Council meeting on the evening of 21 February 2018 to provide an introduction to the conservation area appraisal and management proposals process.
- 4.3.2 EDC conservation officer held a management proposals workshop on the evening of the 24 September 2018 with Appleby Town Council, Appleby Archaeology Group, the Cumberland and Westmorland Society, and the Appleby HAZ Programme Officer in attendance.
- 4.3.3 A Public Consultation will be held during the dates of Monday11 October and Sunday 28 November 2021.

4.4 Conservation Area Boundary Review

- 4.4.1 The local planning authority has a statutory duty to review the character and boundaries of its conservation areas. As part of this appraisal and management plan, one extension is proposed to the existing conservation area boundary, as shown in figure 60.
- 4.4.2 Clifford Street, Bellevue Road and Pembroke Street are located in the north-east area of the town and form a series of parallel roads between Garth Heads Road and the railway line. They were developed by the Appleby Cooperative Benefit Building Society between 1871 and 1897 to a homogenous design which the streets largely retain today. The buildings and streets provide evidence of a period of development in the town as a result of the establishment of the railway and station and are reflective of the Victorian character. From the historic core of the town, the street grid is visible from Chapel Street, the Church of St Lawrence and Appleby cricket ground.
- 4.4.3 It is proposed to amend the boundary of the conservation area to include these streets in an attempt to recognise their contribution to the development of the town and to preserve the remaining traditional Victorian features evident on buildings.

Appleby Conservation Area Boundary Proposed Amendment

Key
Proposed extension

Proposed extension

Figure 60 Proposed extension to the conservation area boundary

- 4.4.4 The decision to include the proposed extension is subject to the outcome of the public consultation being carried out between 11 October and 28 November 2021.
 Clifford Street
- 4.4.5 Clifford Street predominantly comprises of 19th century single pile, two storey dwellings of various size with single or double height bay windows with a side hall entrance. Residential dwellings on the north side of the street are a mixture of detached and semi-detached houses set back from the roadside by a small front garden whereas those on the south side of the street are terraced houses also with small front gardens bounded by low walls with railings. Construction materials predominantly include red or pink sandstone and brick walls, red monolithic dressed sandstone quoins, door and window surrounds, Welsh green or blue slate and modern tile roof coverings featuring either stone or brick chimneys. The land rises from west to east which has created an interesting roofscape with staggered gables and chimney stacks as key features. Windows are predominantly uPVC but many timber sash windows and timber doors survive.

Figure 61 Buildings on south side of Clifford Street







4.4.6 In summary the residential dwellings on Clifford Street largely retain their Victorian features creating a consistent character. The elevating street scene in a quiet area of the town offers long distance views westwards of the surrounding countryside and adds to the streets' sense of place.

Bellevue Road

- 4.4.7 Bellevue Road is home to 19th century two storey residential terraced properties of a more modest nature compared to the houses in Clifford and Pembroke Streets. The terraced properties which abut the pavement on the south side of the street are uniform in style and design. They are predominantly constructed of buff/yellow brick with blue slate roofs featuring brick chimneys. Sandstone also features as a construction material for approximately 30% of the dwellings. All the windows and doors have been replaced by modern materials such as uPVC and have either sandstone window surrounds or stone cills and lintels.
- 4.4.8 The north side of the street comprises of the rear courtyard gardens, outbuildings and garages for the properties on Clifford St. It has a backland feel with the use of low quality materials such as rough render, modern brick and paving.

- 4.4.9 As with the other streets in this area, the land rises west to east and offers long distance views of the Lake District fells.
- 4.4.10 Over the last five decades there have been a handful of applications for permission to undertake developments within the area. Planning permission and/or Building Regulations Approval has been given for the construction of a garage at one property; the recovering of a slate roof; the conversion of an attic; and an extension to three individual buildings.
- 4.4.11 In summary the residential dwellings on Bellevue Road project a low status character consistent with Victorian working class homes. The aesthetic appearance of the buildings has been significantly reduced by the replacement of windows and doors with modern materials.

Figure 63 Bellevue road and the rear of properties on Clifford Street

Figure 64 Long distance views from Bellevue Road





Pembroke Street

4.4.12 Pembroke Street comprises of 19th century residential dwellings with 30% dating from the 20th century. The 19th century dwellings are single pile, two storey dwellings of various size with single or double height bay windows with a side hall entrance. Construction materials predominantly include red or pink sandstone and brick walls, red monolithic dressed sandstone quoins, door and window surrounds, Welsh green or blue slate and modern tile roof coverings featuring either stone or brick chimneys. The buildings are located on both the north and south side of the street and the land rises from west to east which has created an interesting roofscape with staggered gables and chimney stacks as key features.

Figure 65 Pembroke Street (west-east)



Figure 66 Pembroke Street with views to the west



4.4.13 In summary Pembroke Street largely retains its 19th and 20th century plan form and character but the aesthetic appearance of the buildings has been moderately reduced by the replacement of windows and doors with modern materials.

Garth Heads Road

- 4.4.14 Garth Heads Road links the latter streets and its development was piecemeal. The northern end of Garth Heads Road is characterised by high boundary walls which screen the larger residences from pedestrian and vehicular traffic. Buildings on the east side of the road are mostly terraces and pairs of semi-detached houses whereas buildings on the west side vary in age and style. Building materials comprise of buff stone and rendered gables with blue or green slate roofs and brick chimneys. All of the buildings feature either a single or double height stone bay window; and former timber windows have been replaced with modern materials. Only one building retains an original timber door and all doors are set within either trefoil or pointed stone surrounds. All of the buildings are set back from the roadside by a small front garden bounded by stone or brick walls half of which feature iron railings.
 - 4.4.15 Over the last five decades there have been a handful of applications for permission to undertake developments within the area. Planning permission and/or Building Regulations approval has been given for the erection of a garage and the demolition of a lean-to storage shed at two individual properties. The lack of incremental development has enabled the retention of a strong vernacular character.

Figure 67 Garth Heads Road



4.4.16 In summary Garth Heads Road largely retains its 19th century character and features but the aesthetic appearance of the buildings has been reduced to an extent by the replacement of windows and doors with modern materials.

4.5 Protection of the Historic Environment

Permitted Development Rights and Article 4 Directions

- 4.5.1 Permitted development rights allow householders to improve and extend their homes without the need to apply for planning permission. Householder permitted development rights are set out in the **Town and Country Planning** (General Permitted Development) (England) Order 2015 ("the Order") as amended. Schedule 2, Part 1 of the Order covers various types of development and what is acceptable under permitted development. Each revised document includes a guidance note within the appendices on the types of the 'development' that fall under Permitted Development Rights.
- 4.5.2 Householder Permitted development rights do not apply to Listed Buildings, houses which are flats, or houses created through a change of use for example from a shop or agricultural building. They also do not remove requirements for permissions or consents under other regimes such as the building regulations and Party Wall Act.
- 4.5.3 The buildings within the conservation area are predominantly residential and therefore subject to permitted development rights for incremental changes including replacement of windows. However those works that do require planning permission but where none was sought may be subject to enforcement action.
- 4.5.4 A local planning authority is allowed to restrict permitted development rights in specific areas by issuing an Article 4 Direction. This withdraws automatic planning permission granted by the GPDO for certain types of work and a householder would need to apply for planning permission for those works.
- 4.5.5 Article 4 Directions offer the opportunity to restrict 'permitted development rights' to protect historic features that are of importance to the character of a conservation area.

4.5.6 It is important to emphasise that an Article 4 Direction to restrict permitted development rights should only be introduced where there is a clear justification to do so. When considering the residential properties within the conservation area that are either un-listed, not a flat, or a house created through a change of use, then there is a low number of historic buildings with features of special interest that would be worthy of protection from harm or loss that may be incurred during developments carried out under the General Permitted Development Order. As such it is considered that the benefits of an Article 4 Direction and the consequent restrictions that would be imposed on residents are not compelling enough to merit the making of an Article 4 Direction associated to the Appleby conservation area.

Planning Policies

4.5.7 The following set of management aims and recommendations are based on the understanding of the conservation area. They seek to provide guidance to both Eden District Council in determining planning applications for development, but also to building owners and developers when preparing development proposals.

1. New Developments

Aim: to ensure developments respect the historic context of the conservation area

Objective: When determining applications for planning permission, the local planning authority will seek to ensure high quality developments that are of appropriate scale, density, height, form, massing and materials to traditional buildings within the conservation area and those that make a positive contribution to the conservation area will be supported.

2. Shopfronts

Aim: To uplift the quality of shopfronts to enhance the character and appearance of the urban environment.

Objective: When determining applications for planning permission, the local planning authority will consider the potential impact of alterations to shopfronts and seek to ensure their contribution to the significance of the conservation area is preserved and where possible enhanced.

Recommendations:

- Proposals should take account policies within the Eden Shopfront and Advertisement Supplementary Planning Document
- New shopfronts should be in-keeping with the character, appearance and age of the host building
- New shopfronts should preserve traditional features such as corbels, pilasters, fascias, and stallrisers.
- Signage should be of a high quality and sensitively designed to integrate with the shopfront and streetscene
- The use of traditional colours and materials for shopfronts such as dark green, dark blue and black that compliment neighbouring buildings and the wider streetscape will be encouraged.
- Illumination of shop signs will not be permitted

Public Realm

Aim: To ensure new public realm developments preserve and enhance the character of the conservation area.

Objective:

 When determining applications for planning permission, the local planning authority will consider the potential impact of development proposals on the public realm and seek to ensure its contribution to the significance of the conservation area is preserved and where possible enhanced.

Recommendations:

- Proposals for additional street trees and planting should be positioned so they do not obscure positive buildings or key views.
- New street furniture and signage should be of a high standard of design, shall use appropriate materials, and be sited so they are not visually obtrusive.
- High quality and sympathetic paving materials should be used in all areas, including new developments, and existing historic coverings must be preserved.
- Opportunities for public art which reinforce the identity of the conservation area should be encouraged as part of redevelopment proposals

4. Views and Setting

Aim: To preserve key local and long distance views in and out of the Conservation Area, including views of the surrounding countryside that forms the setting of the Conservation Area.

Objective: The local planning authority will consider the potential impact of development proposals within or on the edge of the conservation area on key views and the setting of the conservation area and seek to ensure their contribution to the significance of the conservation area is preserved and where possible enhanced.

Recommendations:

- Proposals for interpretation signage that identifies and highlights the important features and vistas shall be encouraged.
- 5. Green spaces, woodland areas and trees

Aim: To enhance the provision and use of green spaces, woodland areas and trees within the conservation area

Objective: When determining planning applications, the local planning authority will consider the potential impact of developments that directly affect green spaces, woodland areas and trees and/or their setting and will seek to ensure their contribution to the significance of the conservation area is preserved and where possible enhanced.

Recommendations:

• New areas of green space should be supported if they do not detract from the commercial character of the town centre.

6. Doors and windows

Aim: To preserve historic fenestration patterns and features

Objective: When determining planning applications, the local planning authority will consider the potential impact of alterations to traditional windows and doors and seek to ensure their contribution to the significance of the conservation area is preserved and where possible enhanced.

High quality door and window fenestrations which respect the period/age, proportions, form, details and materials of traditional features of individual buildings and the wider streetscape are encouraged. The replacement and loss of historic and important windows and doors will not be permitted, unless it can be demonstrated that they are beyond economical repair and there is a wider public benefit to their replacement. Any replacements should match the originals in dimensions and materials.

7. Roofscape

Aim: To ensure the contribution of the roofscape to the significance of the conservation area is preserved and where possible enhanced.

Objective: the local planning authority will consider the potential impact of development proposals on the roofscape of the conservation area and will seek to encourage the retention, repair and re-use of sandstone flags or blue slate laid in traditional courses.

8. Mortar and Render

Aim: To preserve historic building fabric

Objective: All works to historic and traditionally built buildings shall be carried out in a lime mortar or lime render and painted with lime-based paints. No cementitious mortars, renders or modern masonry paints will be accepted, as these materials will cause advanced and irrecoverable decay to the existing historic structures. Where consent is required, a mortar or render specification should be provided for approval, including mix composition, method of preparation and proposed finish, as well as justification based on information on existing or historic finishes, wall exposure, type of masonry and its condition.

4.6 Heritage Action Zone Scheme

- 4.6.1 In March 2017 Appleby was awarded Heritage Action Zone status by Historic England. The Council will be working with Historic England, Appleby Town Council and the local community to deliver a heritage regeneration scheme that aims to boost the local economy by developing and enhancing the tourism offer in the town. The HAZ scheme is a five year contract terminating in March 2022.
- 4.6.2 Practical issues beyond the project team's control have partly defined what is achievable. These include further flooding, coronavirus, landslide on Settle Carlisle railway line, works on the A66, staff changes (departure of the HAZ Programme Officer), a delay to research and limits to capacity within the town have presented challenges and resulted in impacts on delivery.

- 4.6.3 The key aspect of the delivery plan for the HAZ Partnership scheme involves the selection of buildings which are eligible for grant funding, for repairs and new uses, to ensure the long term viability of the buildings. To date, grants have been awarded for repairs to the following buildings within the town: 12 Boroughgate; 36 Boroughgate; 33a Chapel Street; The Shieling; Pigney's garage; High and Low market crosses; and the Public Hall.
- 4.6.4 Historic England produced a Historic Area Assessment (HAA) to explain the historic interest of Appleby which was published in February 2021. Historic England also undertook a review of list entries on the National Heritage List for England relating to buildings and monuments in Appleby. The review sought to update list entries and help to identify buildings/ places which could be a new listing (either as a statutory designation or as part of a local list of heritage assets). The outcome of this review is included within table 1.

Table 1 Listing Review

Building	List Entry No	Decision	Decision date	
33 and 33a Chapel	1145588	Amend	22/06/2018	
Street	1457818	Add to list	22/06/2018	
Appleby Boer War Memorial	1461431	Add to list	10/01/2019	
Moot Hall	1145607	Amend	13/02/2019	
St Annes Hospital	1145571	Amend	10/05/2019	
34 Boroughgate (White Hart)	1145576	Amend	03/06/2019	
Stable & Coach House to 34 Boroughgate	se to 34 114557		03/06/2019	
The White House (27 Boroughgate)	1319012 1145611 1311899	Amend 28/06/2019		
The Red House (30 Boroughgate)	1146473	Amend	22/08/2019	
Linear range to 34 1145577 Boroughgate		Delete	04/10/2019	
Church of St Lawrence			01/11/2019	
Bainbrigg Stones	1471164	Add to list	02/10/2020	
36 Boroughgate	1145578	Amend- upgrade	26/03/2021	

- 4.6.5 The historic railings at St Lawrence's churchyard were badly damaged in the 2015 floods and have since been replaced.
- 4.6.6 A condition survey and a significance assessment of the Moot Hall has been prepared to inform what repairs are required to preserve the building. Planning permission and Listed Building Consent have been obtained to undertake repair works and these are scheduled to be completed in due course.
- 4.6.7 The remaining projects to be delivered will be primarily focused on the Partnership Scheme in Conservation Areas (PSICA) grant fund and the Moot Hall refurbishment. Other projects under the banner of the Story of Appleby and Research will be pursued but are to be reviewed to determine what can be achieved in the remaining programme. These projects include:
 - Promoting Appleby Castle as a key tourism attraction in the County;
 - Assisting the Town Council with the preparation of a Community Plan; and
 - A co-ordinated signage strategy for the town

4.7 Local List of non-designated heritage assets

4.7.1 The councils across Cumbria are working together to establish a list of locally important buildings, structures and places that are of heritage value but do not meet the national criteria for statutory designation. The project will involve seeking nominations from members of the public for assets to be considered to be added to the list. The project aims to commence in Autumn 2021.

4.8 Guidance and Further Information

4.8.1 The information leaflets included within appendix C provide guidance on the types of development works that require: planning permission, planning permission including demolition in a conservation area, and/or listed building consent. Advice is also available via the Eden District Council website (https://www.eden.gov.uk/planning-and-building/planning-guidance/) and/or the planning portal website (https://www.planningportal.co.uk/).

5 References

Barter M and Elsworth D (2018) The Moot Hall: An Investigation and Assessment of Significance, Historic England

Plan of Appleby, 1754, CASK, WDHOTH/3/33/42-Box 33

Taylor S, Pullen R, Gould H and Winton H, (2019), Appleby-in-Westmorland, Cumbria: Historic Area Assessment, Historic England

http://www.golakes.co.uk/explore/eden-valley-and-north-pennines/appleby-in-westmorland.aspx

http://www.visiteden.co.uk/explore-eden/the-eden-valley/appleby-in-westmorland/history-and-heritage-of-appleby/

www.old-maps.co.uk

6 Contact Details

6.1.1 For further information please contact:

Paula Sada Conservation Officer Eden District Council Mansion House Penrith Cumbria CA11 7YG

Appendices

Appendix A Planning Policy

Key paragraphs of the NPPF, 2021

190. Plans should set out a positive strategy for the conservation and enjoyment of the historic environment, including heritage assets most at risk through neglect, decay or other threats. This strategy should take into account:

- the desirability of sustaining and enhancing the significance of heritage assets and putting them to viable uses consistent with their conservation;
- the wider social, cultural, economic and environmental benefits that conservation of the historic environment can bring;
- the desirability of new development making a positive contribution to local character and distinctiveness; and
- opportunities to draw on the contribution made by the historic environment to the character of a place.

191. When considering the designation of conservation areas, local planning authorities should ensure that an area justifies such status because of its special architectural or historic interest, and that the concept of conservation is not devalued through the designation of areas that lack special interest.

197. In determining planning applications, local planning authorities should take account of:

- a) the desirability of sustaining and enhancing the significance of heritage assets and putting them to viable uses consistent with their conservation:
- b) the positive contribution that conservation of heritage assets can make to sustainable communities including their economic vitality; and
- c) the desirability of new development making a positive contribution to local character and distinctiveness.

201. Where a proposed development will lead to substantial harm to (or total loss of significance of) a designated heritage asset, local planning authorities should refuse consent, unless it can be demonstrated that the substantial harm or loss is necessary to achieve substantial public benefits that outweigh that harm or loss, or all of the following apply:

- a) the nature of the heritage asset prevents all reasonable uses of the site:
- b) no viable use of the heritage asset itself can be found in the medium term through appropriate marketing that will enable its conservation;
- c) conservation by grant-funding or some form of not for profit, charitable or public ownership is demonstrably not possible; and
- d) the harm or loss is outweighed by the benefit of bringing the site back into use

- 202. Where a development proposal will lead to less than substantial harm to the significance of a designated heritage asset, this harm should be weighed against the public benefits of the proposal, including securing its optimum viable use.
- 206. Local planning authorities should look for opportunities for new development within Conservation Areas and World Heritage Sites, and within the setting of heritage assets to enhance or better reveal their significance. Proposals that preserve those elements of the setting that make a positive contribution to the asset (or better reveal its significance) should be treated favourably.
- 207. Not all elements of a World Heritage Site or Conservation Area will necessarily contribute to its significance. Loss of a building (or other element) which makes a positive contribution to the significance of the Conservation Area or World Heritage Site should be treated either as substantial harm under paragraph 195 or less than substantial harm under paragraph 196, as appropriate, taking into account the relative significance of the element affected and its contribution to the significance of the Conservation Area or World Heritage Site as a whole.

Historic England Advice Notes

- Conservation Area Designation, Appraisal and Management: Advice
 Note 1 (February 2016)
- Making Changes to Heritage Assets: Advice Note 2 (February 2016)
- The Historic Environment and Site Allocations in Local Plans: Advice Note 3 (October 2015)
- Tall Buildings: Advice Note 4 (December 2014)
- Setting up a Listed Building Heritage Partnership Agreement: Advice
 Note 5 (November 2015)
- Drawing up a Local Listed Building Consent Order: Advice Note 6 (November 2015)
- Local Heritage Listing: Advice Note 7 (May 2016)
- Sustainability Appraisal and Strategic Environmental Assessment: Advice
 Note 8 (December 2016)
- Historic Environment Good Practice Advice Note 1: The Historic Environment in Local Plans (March 2015);
- Historic Environment Good Practice Advice in Planning Note 2:
 Managing Significance in Decision-Taking in the Historic Environment (July 2015); and
- Historic Environment Good Practice Advice Note 3: The Setting of Heritage Assets (March 2015).

Local Planning Policies

Table 1 Historic Environment Policies within Eden Local Plan

Policy	Objectives of the policy				
Eden Local Plan 2032					
ENV10 The Historic Environment	Development proposals will be expected to avoid harm to the historic environment wherever possible, and should aim to positively enhance Eden's historic environment.				
	2. In determining planning applications for development proposals that may affect the historic environment key considerations will be the significance of the heritage asset, the degree of harm that will be caused, and the degree of public benefit that will result from the development. Great weight will be attached to the conservation of heritage assets.				
	3. Development proposals that would result in substantial harm to or total loss of significance of a designated heritage asset or its setting will only be permitted where it can be clearly demonstrated that substantial public benefits would outweigh the harm, and that the harm is necessary to achieve those benefits.				
	4. Any proposals that cause substantial harm to or loss of a grade I or II* Listed Building, a Scheduled Monument, or a grade I or II* Registered Park and Garden, will only be permitted in wholly exceptional circumstances. Proposals that cause substantial harm to a grade II Listed Building, a grade II Registered Park and Garden and a Conservation Area will only be permitted in exceptional circumstances.				
	5. Where a development proposal will lead to less than substantial harm to a designated heritage asset, the harm will be weighed against the public benefit of the proposal in determining the application.				
	Development proposals in Conservation Areas will be expected to preserve and enhance their special architectural and historic interest.				
	7. Any proposals that affect a non-designated heritage asset will be judged on the significance of the heritage asset and the scale of the harm.				

Appendix B Heritage Asset Descriptions

Character area 1 Listed Buildings

Building	Grade	List Description	General Notes
1 Battlebarrow	II	C18, stuccoed over stone rubble, two storeys, long and short quoins. Doorway with semi-circular hood on brackets, three windows on ground floor, four above, and string over ground floor windows.	Windows and door have been replaced with modern alternatives.
2 Battlebarrow	II	Early C18, stone rubble, cement-washed, three storeys. Plain doorway, one sash window on each floor, but glazing bars removed from ground floor.	
3 Battlebarrow	II	C17, stone rubble, two storeys with a two-storeyed porch with springers to copings. The outer doorway is moulded, with a semi-circular arched head and imposts, with an interlaced ornament in low relief. Above the doorway is a cornice formerly supported by columns. One window in the upper storey of the porch, one per storey to the left and two per storey to the right, all of two lights, C18 or C19, with arched headed lights, splayed reveals and mullions. (R.C.H.M. Westmorland, Appleby no: 10).	
4 Battlebarrow	II	C18. Was probably once part of Slapestone House. Stone rubble, two storeys, wide segmental arch to yard, a modern door, a small former shop window with cornice (now shuttered). Three square windows in old splayed openings above.	Window openings have been fitted with modern alternatives.
4A Battlebarrow	II	C17, stone rubble, two storeys with a two-storeyed porch with springers to copings. The outer doorway is moulded, with a semi-circular arched head and imposts, with an interlaced ornament in low relief. Above the doorway is a cornice formerly supported by columns. One window in the upper storey of the porch, one per storey to the left and two per storey to the right, all of two lights, C18 or C19, with arched headed lights, splayed reveals and mullions. (R.C.H.M. Westmorland, Appleby no: 10).	

Building	Grade	List Description	General Notes
5 Battlebarrow	II	Nos: 5 to 7 are C18/19, two storeys, stone rubble cottages with segmental headed doorways and all openings splayed, but without glazing bars.	Window openings have been fitted with modern alternatives.
6 Battlebarrow	II	Nos: 5 to 7 are C18/19, two storeys, stone rubble cottages with segmental headed doorways and all openings splayed, but without glazing bars.	Window openings have been fitted with modern alternatives.
7 Battlebarrow	II	Nos: 5 to 7 are C18/19, two storeys, stone rubble cottages with segmental headed doorways and all openings splayed, but without glazing bars.	Window openings have been fitted with modern alternatives.
8 Battlebarrow	II	Nos: 8 to 10 are C18, two storeys, stone rubble, with six windows in upper storey and four below.	Window openings have been fitted with modern alternatives.
9 Battlebarrow	II	Nos: 8 to 10 are C18, two storeys, stone rubble, with six windows in upper storey and four below.	Window openings have been fitted with modern alternatives.
10 Battlebarrow	II	Nos: 8 to 10 are C18, two storeys, stone rubble, with six windows in upper storey and four below.	Window openings have been fitted with modern alternatives.

Building	Grade	List Description	General Notes
11 Battlebarrow	II	Probably C17, altered. Stone rubble, two storeys. C17 moulded doorway with a flat four-centred arch under a square head, with initials and date I.E.L.1662. Plain 12-paned sash windows - one on ground floor and two above.	
Friary Cottages No1- 5	II	Thick walls of red sandstone, the cottage C18, two storeys, with boarded floor, one modern window on ground floor and three above. Barn adjoins and contains fragment of a C14 window in the gable, probably from White Friars House which once stood on this site.	
The Friary	II	Early C19, two storeys, stuccoed. Centre doorway with single-storeyed Tuscan portico with full entablature on two pairs of coupled Ionic columns. Two 12-paned sash windows on ground floor, three 16-paned sashes above.	

Character area 2 listed buildings

Building	Grade	List Description	General Notes
Grapes Inn	II	C18, two and three storeys, all stone. Segmental arched entrance to inn yard. Each house has centre door and two or three windows each upper storey (some 12 or 20 paned, some without glazing bars).	
Edenbridge Café	II	Roughcast over stone, dated 1830, two storeys. Three C19 shop windows with cornices, and four windows above (two modern, two of 16 panes). Included for group value.	

Building	Grade	List Description	General Notes
1 Bridge End	II	Roughcast over stone, dated 1639 but altered. Two shop windows and three house windows down, four windows above, all new. Horse tethering ring in wall. Included for group value.	
2 Bridge End	II	Roughcast over stone, dated 1639 but altered. Two shop windows and three house windows down, four windows above, all new. Horse tethering ring in wall. Included for group value.	
Police Station	II	1770, stone, hipped roof, two storeys. Centre doorway with rectangular fanlight, two windows in ground storey, three above, with stringcourse between. Long and short quoins. On either side a single-storey wing with hipped roof projects forward. Each has a segmental-arched passage-way in front. In front of the centre block and between the wings is a flagged terrace with parapet wall and central gate with four stone steps up.	
Shire Hall	II	Magistrates Court and offices, attached steps and boundary walls, formerly Assize and County Court. 1776-8, with additions of 1814 and 1879, and late C20 alterations. By Daniel Benn of Whitehaven. Painted roughcast over rubble sandstone with ashlar dressings, later extensions of coursed red sandstone, ashlar ridge stacks, and hipped roofs with Westmorland slate coverings, laid to diminishing courses.	
		PLAN: Irregular U-shaped complex, which evolved behind original frontage range, and now with rear L-shaped range the survivor of late C19 remodelling and enlargement. EXTERIOR FRONT (south-west)	
		ELEVATION: Asymmetrical 2-storey front of 8 bays, the right-hand bay an addition of 1813-4, approached by means of a flight of 7 steps running the full length of the frontage. 4 tall doorways to left-hand side with ashlar surrounds, timber cross frames and glazing bars. Added end bay with doorway detailed to match earlier doorways. Upper floor with 8 square window openings with ashlar surrounds, and glazing bar casements. SIDE (south-east)	

Building	Grade	List Description	General Notes
		ELEVATION: 2 bay return to frontage range, then 3 bay advanced gable, detailed as wide pediment. This has glazing bar sash windows, 8 over 12 panes to ground floor, and 4 over 8 panes to upper floor. Off-centre stub of former enclosure wall extends to south-east. Further right, set back late C19 extension of 6 bays, with 2-bay end coped gable slightly advanced. Off-centre doorway enclosed by C20 open porch. Sash window frames, some 6 over 6 pane, within flush ashlar surrounds. End gable extends north-westwards to enclose flagged courtyard, formerly the female prisoners yard, with glazing bar sashes to all courtyard window openings.	
		Attached plain north-west wall with single doorway and blind barred openings (the only surviving element of the former gaol) completes enclosure. Attached to both end of this range are surviving sections of the security walling built when the complex also formed part of the County Gaol. This is a rubble wall of varying height, with flagstones inclined downwards and outward on the inner face of the upper walling. A ground plan 1873 shows the full extent of the wall, of which the sections attached to the gabled range, and the fragment attached to advanced pedimented gable are surviving elements. The section extending south-eastward from the north-east corner of the site is the tallest and most substantial remnant.	
		INTERIOR: Courtroom interior remodelled late C20, but retaining late C19 stepped panelled partition walling on one side. Other areas plainly detailed with late C19 joinery.	
		HISTORY: The designs for the new Shire Hall were prepared by Daniel Benn, the Whitehaven agent of Sir James Lowther. The later additions provided, firstly a new jury room and offices, and later, facilities for the attached parts of the County Gaol. A late C18 court building, enlarged and remodelled to form part of a complex of court and prison facilities, and, despite ongoing alteration, still displaying characteristics of all stages of its development.	
5 Howgate Foot	II	Probably early C18. Two low storeys. Pebbledashed stone, slate roof, boarded door, one casement window on ground floor and two above, and a segmental arched carriage entry to right.	

Building	Grade	List Description	General Notes
4 Howgate Foot	II	Datestone of 1692. Whitewashed stone, slate roof. Two storeys. Modern door, three 12-paned sash windows, two horse-tethering rings to ground floor, and two 12-paned sashes above. Was formerly the Queen's Head public house.	Building has been rendered and windows replaced.
3 Howgate Foot	II	Probably C18, stone, three storeys, slate roof, end chimneys. Centre door, two sash windows on ground floor, three on first floor and two on top floor.	

Character area 3 Scheduled Monument

Building	Description	General Notes
St Michael's	This record has been generated from an "old county number" (OCN) scheduling record. These are	
Church	monuments that were not reviewed under the Monuments Protection Programme and are some of our	
	oldest designation records. As such they do not yet have the full descriptions of their modernised	
	counterparts available.	

Character area 3 Listed Buildings

Building	Grade	List Description	General Notes
3 Bongate	II	Late C18, roughcast, slate roof, two storeys. Centre 6-panelled door and semi-circular blind fanlight in plain doorcase with imposts, now under a verandah/porch which joins two C20 ground floor bay windows. Two 16-paned sash windows above in plain architraves. Included for group value.	Windows are constructed of modern materials.

Building	Grade	List Description	General Notes
5 Bongate	II	C18, painted stucco over stone, two storeys. Two plain doors, that of No. 5 in a new glazed porch. Three windows on ground floor and four above, all plain sashes with glazing bars removed.	
6 Bongate	II	Formerly the Red Lion public house, now a private house. Late C18, roughcast over stone, slate roof, two storeys. Modern glazed door, two sash windows on each floor. Lower farm building adjoin to right, of red sandstone with arrow slits and blocked segmental arched barn entrance.	Windows have been replaced with modern materials. The attached barn has been converted to residential use.
7 Bongate	II	C18, painted stucco over stone, two storeys. Two plain doors, that of No. 5 in a new glazed porch. Three windows on ground floor and four above, all plain sashes with glazing bars removed.	
11 Bongate	II	Early C19. Stone. Pebble-dashed, slate roof, two storeys, stone chimneys. Centre panelled door, two 12-paned sash windows on ground floor and three above.	
13 Bongate	II	C18, stone stuccoed, slate roof, two storeys. Centre door, two windows on ground floor and three above.	
Beechcroft	II	Gothic cottage orne, dated 1809. Scored stucco over stone, deep coved eaves. Three-sided castellated porch. Gothic doorway with 4-centred arch and a Gothic-traceried door. Two-storeyed house forms core, with single storeyed wing on each side, with conservatory at rear. Windows with round-headed lights and hollow-chamfered stone mullions and transoms.	

Building	Grade	List Description	General Notes
Bongate House	II	C18/19. Stuccoed over stone, two storeys, centre 6-panelled door and semi-circular fanlight with glazing bars. A two-storeyed three-sided bay window at each side with one single light per storey in the front face. A single bay over the door. Windows of 12, 16 and 20 panes. Hipped roof to the bays.	Repairs have been carried out to the roof covering.
31 Bongate	II	Roughcast over stone, slate roof, two storeys. Nos. 31 and 35 have vertically-panelled doors, and one 16-paned sash window on each floor. No. 35 has a glazed and panelled door, and a new glazed door, and two sash windows on ground floor all under a glazed lean-to roof on timber piers. Two sash windows above.	Windows have been replaced with modern alternatives.
33 Bongate	II	Roughcast over stone, slate roof, two storeys. Nos. 31 and 35 have vertically-panelled doors, and one 16-paned sash window on each floor. No. 35 has a glazed and panelled door, and a new glazed door, and two sash windows on ground floor all under a glazed lean-to roof on timber piers. Two sash windows above.	Windows have been replaced with modern alternatives.
35 Bongate	II	Roughcast over stone, slate roof, two storeys. Nos. 31 and 35 have vertically-panelled doors, and one 16-paned sash window on each floor. No. 35 has a glazed and panelled door, and a new glazed door, and two sash windows on ground floor all under a glazed lean-to roof on timber piers. Two sash windows above.	Windows have been replaced with modern alternatives.
Royal Oak Inn	II	C18, stone, stuccoed and white-washed, graded slates to roof, two storeys. Three dormers on roof. Three doors with modern porches, five windows on ground floor and six above (three are 16-paned sashes, four are shallow oriels, the others casements). Tethering ring on front wall.	

Building	Grade	List Description	General Notes
Church View	11	Late C18. Red sandstone, roof of graded slates, two storeys, plain modern door with timber porch, four sash windows down and five up, no glazing bars, plain architraves.	Windows have been replaced with modern alternatives. A garage extension has been added to side elevation.
The Terrace	II	C18/19, stuccoed and colour-washed over stone, with quoins, hipped slate roof, eaves cornice and parapet. Centre doorway with moulded architrave and cornice. Two 16-panel sashes down, three above. Lean-to glazed verandah over front ground floor. Round-headed stair window at rear.	
Rose Cottage	II	C18, stuccoed and cream washed over stone, slate roof, two storeys. Panelled door, three 12-paned sash windows on ground floor and four above, all in plain stone architraves.	
Old Hall Farm	II	C18, roughcast over stone, two storeys, roof of graded slates. Modern glazed door with trellis porch and chamfered doorway. Four 12-paned sash windows on each floor with moulded reveals. Lower extension on right. End chimneys, stone copings with kneelers.	
St Michaels Church	*	Saxon fragments, C13 south door, C14 south arcade and transept. Much restored by Lady Anne Clifford in 1659. Restored again and north tower added in 1885. Coursed red sandstone rubble with slate roofs. Nave, chancel, south transept, north tower. Decorated window tracery, mostly renewed in the C17. Decorated tower, castellated with corner turrets and crocketted pinnacles. Decorated five bay arcade which may have been reconstructed in 1885, and chancel arch. 1885 choir screen. Timber roofs, with arch braced collars to nave. Saxon north door. Late C14 effigy of Elizabeth Clifford. C18 headstones to churchyard.	

Building	Grade	List Description	General Notes
Courtfield Hotel	II	Formerly St. Michael's Vicarage. Early C19, coloured roughcast over stone, quoins, hipped slate roof behind a parapet, two storeys, stone band. Centre doorway with Doric porch (now glazed), two 12-paned sash windows on ground floor and three 16-paned sashes above, all in plain stone architraves.	
1-2 Mill Hill	II	C18, stone cottages whitewashed and pebbledashed, with old slate roof, two storeys. Three plain doorways and four windows on each floor, all casements with stone mullions and two arched lights in rectangular architraves.	
3 Mill Hill	II	C18, stone cottages whitewashed and pebbledashed, with old slate roof, two storeys. Three plain doorways and four windows on each floor, all casements with stone mullions and two arched lights in rectangular architraves.	
Bongate Mill Farmhouse	II	C18, stone rubble, two storeys. Doorway left of centre with a cornice on imposts. Three windows on ground floor and four above, all 12-paned sashes with moulded architraves.	
Bongate Mill	II	C18, stuccoed over stone rubble, three storeys, with hipped roof. Three square windows in the upper storey, seven in the middle storey, of which three have semi-circular relieving arches, as have the two windows in the ground storey. River elevation similar with three windows and door on ground floor. Big sandstone arch for mill wheel, wheel removed.	
Appleby Boer War Memorial	II	Boer War memorial, 1902, to designs of Mr R Slinger. Description: the sandstone memorial is located in a prominent position on Bondgate, outside the Grade II* listed Church of St Michael. It takes the form of an obelisk comprising a tapered shaft surmounted by a cross-head, which is a stone representation of the early-C20 badge of the Border Regiment. The cross-head is formed by a wreath and a Maltese Cross surmounted by a crown; the words CHINA and a dragon are carved	

Building	Grade	List Description	General Notes
		onto the central boss. The cross is set upon a pedimented plinth with carved foliate decoration to the pediments. The whole is set upon a three-stepped base enclosed by low railings. The inscription on the west face of the plinth reads: ERECTED/BY PUBLIC SUBSCRIPTION/IN MEMORY OF/THOMAS LEONARD ATKINSON/B COMPANY 2ND VB/BORDER REGIMENT/WHO DIED AT/POTCHEFSTROOM SOUTH AFRICA/JUNE 18TH 1900,/WHILE SERVING WITH THE/VOLUNTEER ACTIVE SERVICE/COMPANY OF THE BORDER REGIMENT/FOR QUEEN AND COUNTRY. The inscription on the east face of the plinth reads: APPLEBY/ACTIVE SERVICE VOLUNTEERS/IN SOUTH AFRICA 1900.1. The 11 names of those who served are inscribed below listed by first name.	

Character area 4 Scheduled Monument

Building	Description	General Notes
Appleby Castle (uninhabited portions)	The keep (Caeser's Tower) – square stone keep, three lower storeys built c.1170, upper storey later and altered in 17 th and 18 th centuries.	Investigative works funded by grant aid from Historic England have been undertaken and a schedule of repairs has been identified in collaboration with the owner.

Character area 4 Listed Buildings

Building	Grade	List Description	General Notes
North Lodge	II	Mid/late C19, contemporary with gateway. Red sandstone with cornice and battlements, two storeys with cornice/string between storeys. Cross windows of four and six lights with moulded stone mullions and transforms. Stepped gable to rear. Adjoins entrance gates. Modern addition in angle.	
Appleby Castle Old Stables	I	Former stable block, now divided into three dwellings with garages, etc., Built 1652 by Lady Anne Clifford in quadrangular plan around courtyard. Stone rubble red sandstone, slate roof (hipped), centre depressed arched wide entrance to courtyard, and a window with label above in gable. House to right (No. 1) has a porch, four windows in each of two storeys (all casements with diamond panes and stone architraves). No. 2 to left, with The Flat above has one window down and three above, and a stair window. The courtyard facades have sashes and modern windows. The fourth side opposite the entrance has four coach-houses with segmental arches, a centre gateway, and stables. Some blocked old mullioned windows.	
Castle Park Cottage	1	Former stable block, now divided into three dwellings with garages, etc., Built 1652 by Lady Anne Clifford in quadrangular plan around courtyard. Stone rubble red sandstone, slate roof (hipped), centre depressed arched wide entrance to courtyard, and a window with label above in gable. House to right (No. 1) has a porch, four windows in each of two storeys (all casements with diamond panes and stone architraves). No. 2 to left, with The Flat above has one window down and three above, and a stair window. The courtyard facades have sashes and modern windows. The fourth side opposite the entrance has four coach-houses with segmental arches, a centre gateway, and stables. Some blocked old mullioned windows.	

Building	Grade	List Description	General Notes
Appleby Castle	I	Occupied as private dwelling. Grey stone rubble and ashlar. North wall of house, and west part of north wing, with round tower are C13. Eastern part built 1454. Partly dismantled 1648 but restored by Lady Anne Clifford 1651-3. House largely rebuilt in 1686, the north-west wing added 1695. Again restored, and sash windows inserted in C19. See R.C.H.M. Westmorland.	
Castle Park Flat	I	Former stable block, now divided into three dwellings with garages, etc., Built 1652 by Lady Anne Clifford in quadrangular plan around courtyard. Stone rubble red sandstone, slate roof (hipped), centre depressed arched wide entrance to courtyard, and a window with label above in gable. House to right (No. 1) has a porch, four windows in each of two storeys (all casements with diamond panes and stone architraves). No. 2 to left, with The Flat above has one window down and three above, and a stair window. The courtyard facades have sashes and modern windows. The fourth side opposite the entrance has four coach-houses with segmental arches, a centre gateway, and stables. Some blocked old mullioned windows.	
Castle Park House	I	Former stable block, now divided into three dwellings with garages, etc. Built 1652 by Lady Anne Clifford in quadrangular plan around courtyard. Stone rubble red sandstone, slate roof (hipped), centre depressed arched wide entrance to courtyard, and a window with label above in gable. House to right (No. 1) has a porch, four windows in each of two storeys (all casements with diamond panes and stone architraves). No. 2 to left, with The Flat above has one window down and three above, and a stair window. The courtyard facades have sashes and modern windows. The fourth side opposite the entrance has four coach-houses with segmental arches, a centre gateway, and stables. Some blocked old mullioned windows.	

Building	Grade	List Description	General Notes
Gatehouse Cottage		Probably mostly C17, grey stone, gateway battlemented. Gatehouse Cottage adjoins to west, long and low, two storeys, with three-light casement windows with flat stone mullions, and 12-paned sashes (C18 alterations). Castle Moat Cottage adjoins farther to west, single storey, studded door, two 12-paned sash windows. Both cottages are built into the C17 curtain wall.	

Character area 4 Registered Park & Garden

Site	Description	General Notes
Appleby Castle	Grounds around a medieval castle which were probably laid out by Lady Anne Clifford (1590-1676) during the mid to late C17. Surviving features include a mid C18 or earlier prospect terrace and a C17 gazebo which relates to the earthwork remains of a formal garden	

Character area 5 Listed Buildings

Building	Grade	List Description	General Notes
1 Scattergate	II	Formerly the Ship Inn. C18. Colour-washed over stone rubble, with roof of graded slates, two storeys. Front of wide proportion with centre panelled door, and two sash windows on each floor, all in plain architraves. Wing to rear on north end	Ground floor windows have been replaced with modern alternatives.
5 Scattergate Green	II	Probably late C18. Coursed red sandstone, slate roof, two storeys. Centre panelled door, two sash windows on each floor, all in plain stone architraves. Stone chimneys. Included for group value.	

Building	Grade	List Description	General Notes
Rhonda House	II	Late C18. Once two cottages, now one dwelling. Whitewashed stone, slate roof, two stone chimneys. Indistinct date, probably 1779. Long two-storeyed facade with modern glazed door and three square sash windows on each floor, all in plain stone architraves.	
Castle Bank House	II	Late C18, red sandstone, ashlar, two storeys. The doorway is roughly central and has moulded architrave and pediment. To the left is a two-storeyed five-sided bay window with five lights per storey, the flanking lights being smaller than those to the front. Over the door is a single light window. To the right and set back a little, is a later extension with one window per storey. Both portions have eaves cornice and long and short quoins. On the older block are two rainwater heads, one dated 1792, the other with initials IHM. A rainwater head in the extension bears the head of an heraldic beast.	

Character area 6 Listed Buildings

Building	Grade	List Description	General Notes
The Old Brewery	II	Late C18/Early C19, colour-washed stone, slate roof, two storeys. Segmental-arched doorways. Upper windows barred. A low middle storey on right hand end. Long rectangular plan. Right hand gable end has two 12-paned sash windows down and one up.	
Brewery House	II	Late C18 - Early C19. Three storeys, colour-washed stone, segmental arches to ground floor. Some sash windows, some upper warehouse doors. Gable end to left has three sash windows on each floor.	

Building	Grade	List Description	General Notes
12A Doomgate	II	Late C18 - Early C19. Three storeys, colour-washed stone, segmental arches to ground floor. Some sash windows, some upper warehouse doors. Gable end to left has three sash windows on each floor.	
11 Doomgate	II	C17-18, once the smithy. Pebble-dashed stone rubble, stone chimneys on slate roof, two storeys. A boarded door and a glazed and panelled door, two sash windows on ground floor and four above. A circular stone in front, probably covering a former well (wells in Doomgate mentioned in document of 1714).	
10 Doomgate	II	C17-18, once the smithy. Pebble-dashed stone rubble, stone chimneys on slate roof, two storeys. A boarded door and a glazed and panelled door, two sash windows on ground floor and four above. A circular stone in front, probably covering a former well (wells in Doomgate mentioned in document of 1714).	
9 Doomgate	II	Early C19, red sandstone, new slate roof, two storeys. Two boarded doors, two modern doors, all with fanlights. Five sash windows on each floor, all in stone architraves and all but two being 8-paned.	
8 Doomgate	II	Early C19, red sandstone, new slate roof, two storeys. Two boarded doors, two modern doors, all with fanlights. Five sash windows on each floor, all in stone architraves and all but two being 8-paned.	
7 Doomgate	II	Early C19, red sandstone, new slate roof, two storeys. Two boarded doors, two modern doors, all with fanlights. Five sash windows on each floor, all in stone architraves and all but two being 8-paned.	

Building	Grade	List Description	General Notes
6 Doomgate	II	Early C19, red sandstone, new slate roof, two storeys. Two boarded doors, two modern doors, all with fanlights. Five sash windows on each floor, all in stone architraves and all but two being 8-paned.	
5 Doomgate	II	C18, two storeys, roughcast over stone rubble. Centre doorway with plain projecting jambs and head, and a plain pediment-like triangular dripstone over. Two sash windows on each floor in plain red sandstone architraves.	
4 Doomgate	II	C18, roughtcast stone rubble, slate roof, three storeys. Two panelled doors and one modern glazed door, all with small fanlights. Segmental arched carriage entry to right, adjoining the barn of No. 1. Three sash windows on ground floor and four on each upper floor.	
3 Doomgate	II	C18, roughtcast stone rubble, slate roof, three storeys. Two panelled doors and one modern glazed door, all with small fanlights. Segmental arched carriage entry to right, adjoining the barn of No. 1. Three sash windows on ground floor and four on each upper floor.	
2 Doomgate	II	C18, roughtcast stone rubble, slate roof, three storeys. Two panelled doors and one modern glazed door, all with small fanlights. Segmental arched carriage entry to right, adjoining the barn of No. 1. Three sash windows on ground floor and four on each upper floor.	
1 Doomgate	II	C18, two storeys, pebbledashed over stone rubble, slate roof. Boarded door and fanlight, one sash window on ground floor and two above, and an additional modern window down. Barn of stone rubble continues to left, with barred windows.	

Building	Grade	List Description	General Notes
13 Doomgate	II	C18, red sandstone, slate roof, two storeys, one stone and three brick chimneys. Nos. 13 and 14 are pebbledashed. Two boarded and one modern glazed doors. Five sash windows on each floor in stone architraves but with glazing bars removed. Barn and Stable buildings to rear of Glen Hotel, Boroughgate.	
14 Doomgate	II	C18, red sandstone, slate roof, two storeys, one stone and three brick chimneys. Nos. 13 and 14 are pebbledashed. Two boarded and one modern glazed doors. Five sash windows on each floor in stone architraves but with glazing bars removed. Barn and Stable buildings to rear of Glen Hotel, Boroughgate.	
15 Doomgate	11	C18, red sandstone, slate roof, two storeys, one stone and three brick chimneys. Nos. 13 and 14 are pebbledashed. Two boarded and one modern glazed doors. Five sash windows on each floor in stone architraves but with glazing bars removed. Barn and Stable buildings to rear of Glen Hotel, Boroughgate.	
16 Doomgate	II	C18, red sandstone, slate roof, two storeys, one stone and three brick chimneys. Nos. 13 and 14 are pebbledashed. Two boarded and one modern glazed doors. Five sash windows on each floor in stone architraves but with glazing bars removed. Barn and Stable buildings to rear of Glen Hotel, Boroughgate.	
17 Doomgate	11	C18, stuccoed/over stone rubble, old slate roof, two storeys. Centre panelled door and fanlight. Two sash windows down and three up, all 16-paned, with panelled internal shutters.	
18 Doomgate	II	C18. Pebbledashed and with new roof; panelled door with dentilled cornice and fanlight, adjoining yard door and one sash window down and two up all in stone architraves. Stone rubble stable and barn to left, with quoins and stone roof, wooden lintels and slit openings.	

Character area 7 Listed Buildings

Building	Grade	List Description	General Notes
2 Boroughgate	II	A probably earlier building altered in the mid C18. Roughcast over stone, old slate roof with stone chimneys, long and short quoins. Two plain windows on ground floor without glazing bars, and small shop front. Four twelve paned sash windows above. No. 2 (the Crown and Cushion) is a probably C17 lobby entry house. Square headed doorway with heavily moulded architrave, probably early C18. Three storeyed wing at rear facing Low Wiend has three sash windows on each floor in stone architraves. Rainwater head dated 1764.	
3-5 Boroughgate	II	C18, roughcast, slate roof, two storeys. Curved angle to No. 3, to Bridge Street, with convex gable, two upper windows and two shop windows with centre door. No. 5 has a glazed and panelled door, another glazed door, a 16-paned sash down and two 12-paned sashes up.	
6 Boroughgate	II	A probably earlier building altered in the mid C18. Roughcast over stone, old slate roof with stone chimneys, long and short quoins. Two plain windows on ground floor without glazing bars, and small shop front. Four twelve paned sash windows above. No. 2 (the Crown and Cushion) is a probably C17 lobby entry house. Square headed doorway with heavily moulded architrave, probably early C18. Three storeyed wing at rear facing Low Wiend has three sash windows on each floor in stone architraves. Rainwater head dated 1764.	
7 Boroughgate	II	C18, two storeys, stuccoed over stone, slate roof. Panelled door, and late Victorian shop front, one 16-paned sash window down and four up.	

Building	Grade	List Description	General Notes
8 Boroughgate	II	Late C18, but altered in the mid C19 when the shop and first floor windows were inserted. Stuccoed stone rubble, three storeys, three windows each upper storey, those on first floor having round-arched heads and plain keystones. Ground floor has elaborate Victorian shop front of iron, with twisted columns on fluted bases, foliated Composite caps, round arches with cusped roundels in the typmana, in composition of centre door and flanking windows of one arch on re-entrant side and two arches to fronts, fascia and cornice over the whole.	
9 Boroughgate	II	C18, two storeys, stuccoed over stone, slate roof. Panelled door, and late Victorian shop front, one 16-paned sash window down and four up.	
10 Boroughgate	II	1873, stone three high storeys, asymmetrical. Segmental arched yard entry. Gables. Oriel on a buttress. Porch and verandah on wood piers. Paired sashes. Long cobbled yard at rear with range of former stabling (now staff rooms), of red sandstone dressed with brick, with iron mangers on walls. Included for group value.	
11 Boroughgate	II	Late C16-early C17, ashlar, slate roof hidden behind later facade. Three stone water spouts. Finials at ends of stone copings. Three storeys, the top storey with two gables added late C17. Moulded doorway with stilted segmental head on imposts, with interlacing enrichment in low relief. Centre door and two small shop windows of C20, and two new windows in middle storey. Over the windows of lower storey is a long moulded drip-course with carved terminals. In top storey are two graded three-light windows with round-headed lights and moulded dripstones stepped up over centre. Two gables with moulded copings and finials.	

Building	Grade	List Description	General Notes
12 Boroughgate	II	1873, stone three high storeys, asymmetrical. Segmental arched yard entry. Gables. Oriel on a buttress. Porch and verandah on wood piers. Paired sashes. Long cobbled yard at rear with range of former stabling (now staff rooms), of red sandstone dressed with brick, with iron mangers on walls. Included for group value.	
13 Boroughgate	II	Mid C18, three storeys, stone. C19 shop front with colonnets and foliated capitals (now filled with two sash windows). A rusticated segmental-headed archway to rear stables. Two sash windows in each upper storey.	
14 Boroughgate	II	Late C19. Red sandstone. Three storeys of same height as Tufton Arms, quoins, early C20 shop front, three sash windows on each upper floor with long and short quoins to architraves. Included for group value.	
15 Boroughgate	II	Mid C19, whitewashed stone, slate roof with stone copings and kneelers. Three storeys. Ground floor has two similar early C20 shop fronts and panelled door between, with fanlight and panelled pilasters. Fascia and cornice across whole ground floor. Four sash windows on each upper storey, in plain stone frames but without glazing bars.	
17 Boroughgate	II	Mid C19, whitewashed stone, slate roof with stone copings and kneelers. Three storeys. Ground floor has two similar early C20 shop fronts and panelled door between, with fanlight and panelled pilasters. Fascia and cornice across whole ground floor. Four sash windows on each upper storey, in plain stone frames but without glazing bars.	

Building	Grade	List Description	General Notes
19 Boroughgate	II	Late C19 Victorian Gothic, stone, snecked rubble with ashlar dressings, three storeys. Pointed arched windows on ground and first floors (paired on first floor), with marble columns and still leaf caps. Top floor windows are paired, with triangular heads. Top balustraded parapet, and dormer windows on roof. Cast iron balcony to first floor. Curved angle from No. 17, with doorway, and one window each upper storey.	
21 Boroughgate	II	Mid/late C19. Ashlar stone, three storeys. Segmental arch to rear yard, two round-arched windows ground floor, four segmetal-headed windows first floor, four sashes top floor, castellated parapet on brackets.	
23 Boroughgate	II	Late C18. Red sandstone ashlar, with long and short quoins, three storeys. Victorian shop front with iron colonnets, foliated caps, embattled cornice to door, panelled pilasters, fascia and dentilled cornice. Lower semi-basement window to left. A rusticated segmental-headed archway with re-used dated stone over rear arch inscribed RBD96. Four windows each upper storey.	
25 Boroughgate	II		

Building	Grade	List Description	General Notes
27 Boroughgate	II*	House, early C18, re-modelled 1754 and 1764-1765 for John Robinson, the latter attributed to Henry Bellas (or Bellhouse) of Appleby; extended in the late C18.	
(White House)		MATERIALS: red sandstone rubble, rendered and painted with red sandstone quoins, painted; Westmorland slate roofs. Brick-built rear range.	
		PLAN: a rectangular main building with a narrower, attached rectangular former service wing to the rear, and a small cottage with a polygonal east end.	
		EXTERIOR: the building is situated on Boroughgate, the main medieval thoroughfare of the town. It is a whitewashed, three-storey building with attic and basement beneath a hipped roof of Westmorland slate. It has a stone plinth, alternating quoins and three squared stone string courses dividing the floors. The west elevation facing Boroughgate has three depressed, ogee-headed windows to each floor with moulded architraves and a squared impost block; the upper sash has interlaced glazing bars giving the appearance of tracery. There are basement windows in the stone plinth. The right return has a central entrance with an ogee-headed stone surround with pilasters and a curving stone hood above an ogee-arched fanlight. The door has raised and fielded panels, which in the lower parts are formed by a cross arrangement of curved rails and styles centred on a diamond-shaped panel. There are three windows to each storey of the same form as the west elevation; at attic level there are three bulls eye windows. The north elevation has scattered fenestration, mostly of rectangular-headed windows with plain surrounds and with early-C18 sash windows with thick glazing bars, and two of ogee-headed style. The east elevation has a single ogee-headed window to each floor and a bulls eye window to the attic; the remainder of this elevation is obscured by the attached rear range.	
		The two-storey brick-built rear range has rusticated stone quoins to the north-east and south-east corners, a stone rubble plinth and a squared string course, under a hipped roof with a central brick chimney stack. The ground floor has a tri-partite moulded ogee-headed window with moulded stone mullions lighting the former kitchen, and a single-light similar window to the right and four identical windows to the first floor. All have sliding sash windows with inter-lacing glazing bars to the upper sash. There are inserted entrances to the east and west ends, and a round-headed entrance to the west end, now a window. At the east end of the range there is a later-C18 lower brick-built former stable (now - 2019 - a cottage) with rusticated quoins, beneath a hipped roof with a central ventilator, and with similar windows to the kitchen/stable range. Attached to the east end is a single-storey polygonal bay beneath a pyramidal roof; it has an ashlar plinth, a deep moulded plinth course and a polygonal bay-window with a moulded surround and mullions with squared impost blocks, and depressed ogee-arched lights.	

Building	Grade	List Description	General Notes
		INTERIOR: the mid-C18 plan-form is largely retained with minor modifications. The stair hall houses an open-string dog-leg staircase, with slender turned balusters and a moulded ramped handrail with a scrolled end on a fluted, slender newel post. Stairs to the right lead down to the cellar (not inspected, 2019) and beyond there is a redundant servant stairwell (today occupied by a WC), and a service room beyond. The stair hall and first and second floor landings have modillioned, moulded plaster cornices and there are moulded cornices to the main reception rooms and most rooms on the upper floors. The principal floors have contemporary doors with raised and fielded panels: those to the ground and first floors match that of the main entrance (with the exception of a plain six-panelled door through the north wall of the south-east room and a modern replacement to the first floor). Elsewhere they are conventional six-panel doors. There are panelled reveals and soffits to most windows, which are fitted with painted and unpainted shutters with ogee heads; those to the second floor are unpainted and engraved with names and early-C19 dates. Chimneypieces are mostly C19 and Georgian in style, with small cast-iron canted ones to the south-east rooms on the first and second floors. The attic was not inspected (2019) but when surveyed in 1993, it was reached from the second floor by the retained upper flight of a servant stair, the remainder had been removed and its stairwell redundant. The stair was described as early C18 in form having a crude square-section handrail surmounted by a deep moulding, squared newels and turned balusters, of which only two remained. The attic rooms had moulded stone fireplace. The original 1764-1765 pegged roof structure was retained and described as being of three bays with two trusses with tie beams, king posts, raked struts and principal rafters with curved feet.	
		The western part of the rear range comprises a series of former service rooms, two with six-panel doors. One has a cooking hearth at the east end with a red sandstone surround with moulded brackets supporting a projecting lintel. To the right there is a brick-arched alcove interpreted as a possible later fireplace, and a brick segmental-arched opening to the left opens into a second room with an inserted range to its west wall. The first floor of this range was not inspected, but the 1993 survey described three bedrooms with a north corridor, all with good ceiling cornices and six-panel doors matching those of the street range. Fireplaces had late-C19 Georgian style surrounds. The attached cottage (former stable) forming the eastern end of this range has a modern interior. SUBSIDIARY ITEM: to the front of the west elevation there is a low stone wall with double-chamfered ashlar coping stones set with replacement C20 railings.	

Building	Grade	List Description	General Notes
Garden wall, gateway and summerhouse to north-east and south-east of White House	II	Garden walls and gateway, mid-later C18; summerhouse, late C18 or early C19. MATERIALS: red-brick garden walls; summerhouse of coursed dressed sandstone blocks. PLAN: a linear section of garden wall connects the rear wing of the White House to the garden pavilion end of the detached outbuilding. A second linear section of garden wall to the south west connects the garden pavilion to a later summerhouse situated in the south-west corner of the garden. DESCRIPTION: the wall is of hand-made brick in stretcher bond standing about 10 feet (3m) high with a plain stone gateway giving access from the south yard to the garden. The summerhouse has a polygonal roof. There is a doorway in the north wall with squared stone jambs and lintel, and triple ogee-arched windows with squared sandstone surrounds and impost blocks; the plain treatment of the ogee-arched windows reflects their later date.	
28 Boroughgate	II	Mid C18, ashlar, long and short quoins, cornice, three storeys, with basement on HIgh Wiend. Chamfered centre doorway with round-arched hood on simple brackets. Two windows on ground floor, that on left being a plain square bay probably added C19. Three sash windows per upper storey, 12-paned in hollow-chamfered architraves.	
29 Boroughgate	II	Late C18, ashlar, three storeys, red sandstone. Centre doorway, two windows on each floor with glazing bars removed. Volute shaped springers to gable coping. Left hand return wll has ogeeheaded window facing entrance to White House.	

Building	Grade	List Description	General Notes
30 Boroughgate	11*	House and Judges' lodging, 1717 for Thomas Carleton; late-C20 modifications. Classical style.	
(The Red House)		MATERIALS: a red sandstone ashlar main elevation, with weathered irregular blocks to the rear elevation; a slate roof with stone copings and stone chimneys.	
		PLAN: double-pile plan with a central main entrance, originally with four rooms to the ground floor and a rear staircase and off- set rear entrance.	
		EXTERIOR: situated on a site that slopes gently to the north and falls to the west. Two storeys plus a raised basement, and seven bays beneath steep double pitched roofs of Westmorland slate with gable ashlar chimney stacks.	
		The main (east) elevation is constructed of ashlar red sandstone with prominent quoins, moulded bands to the ground and first floors and a deep eaves cornice. The central entrance is reached by a set of stone steps flanked by ornate C19 railings, and has a bolection moulded surround with a segmental pediment: the lintel bears the date 1717 in incised calligraphic lettering, separated by a monogram. There are six four-over-four sliding sash windows to the ground floor and seven to the upper floor, that to the centre with a moulded architrave, the others are hollow chamfered. The basement is rusticated with four small windows and a separate entrance, the latter reached down a set of stone steps and fitted with a six-panel door. The right and left gables are of coursed rubble with a single attic window. The rear (west) elevation has a semi-basement and two upper storeys, with an off-set entrance to the left reached by a set of stone steps. The entrance has a partially moulded architrave and a carved and decorated stone lintel inscribed 'TC MC 1663', and a four- panel door. To the right is a three-light stone window with flat mullions. Set above and slightly to the right of the entrance there is a large stair window fitted with a horned twenty-over-twenty sliding sash window with a plain stone surround. To the left there is a single window to each floor, and to the right a pair of windows to each floor: all are fitted with nine-over-nine sliding horned sash windows (replaced to the top right) in plain dressed stone surrounds. There are also four inserted C20 bathroom windows. There are two stone bands, the upper one runs around the bottom of the stair window and the lower one rises around the entrance. There is a large basement window to the right; a similar window to the left has been converted to a set of French doors.	

Building	Grade	List Description	General Notes
		INTERIOR: the ground and first floors are each divided into a pair of apartments with some inserted partitions and openings, but overall the original plan-form is retained. A C19 lobby opens through timber and glazed double doors with side lights into a hall with an arched opening between the hall and the rear stair hall. The latter retains the original early-C18 dog-leg staircase that rises from basement to first floor. It has an open string, a balustrade of turned vase-shaped balusters (three per tread), square newel posts and drops, and a ramped, flat-topped handrail with moulded sides. At the intermediate garden level a half-landing gives access to the rear entrance lit by a mullioned window, above which there is a complete set of ten servants' bells; the upper half-landing is lit by the tall multi-paned stair window. The basement is divided into three spaces, the central space with a six-panel door, a stone flag floor and stone shelving on supports. Several early ceiling beams are visible throughout. The ground floor north apartment occupies the former smoking room, kitchen and back stair and the south apartment occupies the former dining room, office and clerk's closet. There are panelled windows and shutters to the six principal south windows and original chimney breasts to the north and south gables; other features include a six-panel door in a moulded architrave and the former site of the back stair. The north and south apartments to the first floor also have panelled reveals and shutters to the principal east windows, and the former site of the back stair; doors are mostly six-panel replacements. The attic is partially converted, and a limited view of the roof space indicates the presence of the original rook structure. Other features include a small hob-grate to the north gable and a re-used six panel door and an architrave with corner blocks. SUBSIDIARY FEATURES: to the front there is an in filled area bounded by a low, red sandstone wall of three courses with flat coping stones, set with original	
31 Boroughgate	II	Late C18. Red sandstone ashlar, with moulded cornice and plinth. The right hand side breaks forward and has one window per storey in the front and in the side, and a hipped roof. The main portion of the front has four windows up and three down. Square-headed doorway with rectangular fanlight. All openings are hollow-chamfered.	

Building	Grade	List Description	General Notes
31A Boroughgate	II	Dated 1851, Gothic style. Grey stone ashlar, slate roof, clustered chimneys on diagonal, two storeys. Four-centred arched carriage entry. Casement windows with pointed arched panes and dripstones over. The centre window bay projects with a gable over. Gable and flanking eaves have scalloped bargeboards.	
32 Boroughgate	II	Late C18/early C19. Red sandstone with slate roof and stone chimneys. Two storeys, two sixteen pane sashes on each floor. Panelled door in chamfered surround and boarded down to rear yard.	
34 Boroughgate (White Hart and stable to rear)	II	Inn with attached stable/coach house to the rear, mid-C18 with possible earlier origins; C19, C20 and early-C21 additions and alterations. MATERIALS: red sandstone, rendered and painted; internal walls of sandstone rubble; mostly graduated Westmorland slate roofs. PLAN: a rectangular original range oriented north to south, possibly originating from an earlier cross- passage house; rectangular rear extensions including a probable C18 stair turret. An attached covered passageway to the north end gives access to a rear yard with outbuildings. EXTERIOR: the building is situated on the west side of Boroughgate on a site that slopes gently to the north. The main elevation has three storeys and three bays under a pitched roof with dressed stone end stacks, painted quoins and painted and dressed, flush window and door surrounds. There is an off-centre square-headed entrance with tethering rings to either side, fitted with a six-panel door, and flanked to either side by a two-light flat-faced mullioned window now boarded over. Set at a lower level at the right end, there is a boarded yard entrance, with a lintel that slightly overhangs the jambs, and a tethering ring to the left. The first and second floors each have three window openings, all fitted with two-over-two horned sliding sash frames. A pub sign is fixed to the upper left side of the building. The rear elevation comprises a number of extensions of varying heights including a two-storey, lean-to stair turret with a Westmorland slate roof, and an enlarged first floor window serving a metal fire-escape. To the left a later lean-to extension has a Welsh slate roof, and contains an entrance to the extended covered passageway; it is fitted with a four-panelled door (cut down from a six-panelled door) and there is a fanlight above, now blocked.	

Building	Grade	List Description	General Notes
		An C18 two-storey former stable and coach house of similar constructional materials to the inn is attached to the rear. It has a large, blocked segmental-arched coach opening with alternating jamb stones, flanked to the right by a square-headed entrance with similar jambs, and to the left by a single-light and a pair of two-light windows in plain, stone surrounds; at least one of these openings retains earlier alternating jamb stones. To the left end there is an entrance with alternating jamb stones, and a later, blocked entrance. The first floor has six-regularly spaced C19 inserted window openings.	
		SUBSIDIARY ITEM: to the front of the building there is a paved, split-level forecourt defined by a low stone wall with double-chamfered copings and late-C20 metal railings.	
		INTERIOR: the main entrance opens into a single large space on two levels, created by the opening out of an original room to either side of a full-width central passage. A central strip of late-C19/early-C20 geometric floor tiles indicates the position of a former central passage, and scars in the east wall and ceiling indicate the site of its former partitions. There are five substantial ceiling beams running from east to west. Remaining fixtures and fittings are early C20 and include a stone four-arched fireplace against the south wall (with a blocked doorway to the right), the remains of panelling to the left, and a fixed bench seat to each of the east windows. A cellar beneath the northern part of the room has a set of original, but modified, sandstone steps; within the cellar visible ground-floor beams and joists are of early form and may be of late-C17 date. Within the covered passageway to the rear yard there is an arched feature, interpreted as a fireplace flue or support. The rear extension comprises three small rooms. The south room is thought to be the former back kitchen with a fireplace with a large stone lintel in the east wall and an inserted stair to the first floor of the rear stable range. The central room houses a dog-leg staircase in its original position, and the north room has a large fireplace (range removed).	

Building	Grade	List Description	General Notes
		The upper floors were not inspected, but are understood to retain historic features including the presence of an earlier, blocked opening on the half landing to the first floor, exposed and boxed-in tie-beams to the three first-floor front rooms, one of which also retains the hearthstone of an earlier fireplace and one of which also has a re-used, stripped six-panel door. The exposed floor of the most southerly rear room retains some original wide floor boards. To the second floor there are exposed and boxed in tie-beams, and the roof structure (also visible in the attic space) comprises four simple tie-beam trusses with double purlins; some of the timbers suggest they have been reused; rafters are C20. The ground floor of the attached rear range was not inspected, but is understood to have been converted to apartments. The first floor has a large modern kitchen to the west end and the remainder of the space has a C20 decorative scheme and fittings. MAPPING NOTE: the upper floors of the White Hart (34 Boroughgate) form a flying freehold above part of the ground floor of the neighbouring property (36 Boroughgate).	
36 Boroughgate	*	House, mid-C17 with C19 and C20 alterations. PLAN: cross-passage plan, with a rear rectangular range comprising a stair hall and service rooms. MATERIALS: regularly coursed and squared buff and red sandstone blocks to the main elevation, coursed rubble to the rear; a Westmorland slate roof in diminishing courses, with stone slate edging.	Double openings on ground floor are boarded up.

Building	Grade	List Description	General Notes
		EXTERIOR: the building is situated on the north side of the main medieval thoroughfare which slopes gently down to the north. This stone-built house has a pitched slate roof with a central chimneystack. The main east elevation has three storeys plus a partial basement, and two bays. It has a chamfered plinth with a single, barred basement window. The off-centre C17 entrance has moulded jambs and a battlemented lintel, decorated with two flower motifs; it is fitted with a plank door, and there is a tethering ring to the right side associated with an area of worn stonework. To either side of the entrance is a rectangular window with a C20 horned sash, that to the left with bars, and both in tooled, monolithic red sandstone surrounds. There are two similar (but smaller) windows to the first and second floors, the first floor lintels carrying the upper storey sills. The present fenestration dates from the C19, but the elevation contains several blocked C17 windows: two two-light mullioned windows to the upper floor and three blocked three- light windows to the first floor. There is also a blocked fire window lighting an inglenook immediately to the left of the main entrance, and a blocked C17 window further to the left. The rear elevation has two storeys and three bays and is of rubble sandstone construction beneath a pitched roof. All window and door openings are recent insertions in modern surrounds, a door and one window with earlier relieving arches above and one window with an earlier stone lintel above.	
		INTERIOR: the main entrance enters the cross-passage which is open to the room to the right; the latter has a chamfered ceiling beam and a small stone chimney piece, and a blocked opening to the north wall. The opposing cross-passage entrance, which pierces the original rear wall of the building, has a cambered head supported on an internal timber lintel and external stone lintel; it is fitted with a plank and batten door. An opening through the cross passage wall at its western end gives access to a short heck passage which opens into the main living room through a four-panel door, and gives entry to the staircase to the right. This living room has a single chamfered ceiling beam and a blocked opening and a pantry to the west wall. A large inglenook to the north wall retains a bressumer beam which terminates at an area of panelling, which may preserve the original heck post. The moulded chimney piece is of later-C17 or early-C18 date and has an inserted C19 cast-iron range. The ground floor of the rear range is accessed by an extension to the cross passage with a room off to right and left. The room to the right has a wide-boarded door with upper ventilation holes and a stone-flagged floor. To the north wall there is a blocked stone moulded chimney piece, and to its left a moulded round-headed niche with a substantial stone lintel, thought to be a former bread oven. The room to the left has a blocked chamfered sandstone mullion window with timber lintel and stone sill in the south wall. Very worn stone steps lead down to a small cellar with shelving niches, that run back beneath the parlour. A plain straight-flight stair rises from a full-height rear stair hall.	

Building	Grade	List Description	General Notes
		A section of original balustrade with chunky stick balusters remains to the first floor rear L-shaped landing, which separates a pair of rooms occupying the first floor of the rear range, one retaining a stone fire surround. A wide opening through the original rear wall of the building leads back into the original front range, which is partitioned into a pair of rooms with ceiling beams, and re-used panelled doors some of C17 date; one of these partitions incorporates an un-plastered section of what is thought to be a wattle and daub panel. There is a small timber chimney piece to one of the rooms. A cupboard with a re-used seven-panel door retains a timber-framed panel of lath and plaster. A seven-panel door contains an enclosed straight stair flight rising to the second floor of the front range. This is partitioned into a pair of rooms, also with re-used early doors. Within these spaces an original roof structure is retained and clearly visible: it comprises three raised and pegged cruck trusses with collars (one missing) and double side purlins: two of the crucks display clear assembly marks in sequence, that to the third truss is not visible. The upper part of the roof structure is visible within the enclosed attic space above and, where they are visible, the apex of the crucks are tennoned into a ridge purlin. At the north end of the roof structure immediately in front of the stone gable party wall there is a short crown post supporting the end of the ridge purlin: this is crudely formed and has been spliced into the gable end of the ridge piece. SUBSIDIARY ITEMS: set to the front of the house is a low stone wall with a double chamfered coping and replacement railings with a quoined central opening (partially rebuilt to the left side in	
37 Boroughgate	II	the early C21). C18, stone, two storeys. Long and short quoins to left. No. 37 has concrete architraves to	
		windows. Curved stair window at rear of No. 37. No. 39 has old doorway to yard, with panelled	
		door and fanlight, one sash window down and two up in plain stone architraves. Nos. 37A and	
		39A in rear wing down yard are similar, but now separate flats.	

Building	Grade	List Description	General Notes
37A Boroughgate	II	C18, stone, two storeys. Long and short quoins to left. No. 37 has concrete architraves to windows. Curved stair window at rear of No. 37. No. 39 has old doorway to yard, with panelled door and fanlight, one sash window down and two up in plain stone architraves. Nos. 37A and 39A in rear wing down yard are similar, but now separate flats.	
38 Boroughgate	II	Late C18, stone ashlar, slate roof with end stacks. Central passsage, and door on left. Three windows on ground floor and five above, all in plain stone architravels. Tethering ring.	Pointing of poor standard. Some surrounds have been replaced.
39 Boroughgate	II	C18, stone, two storeys. Long and short quoins to left. No. 37 has concrete architraves to windows. Curved stair window at rear of No. 37. No. 39 has old doorway to yard, with panelled door and fanlight, one sash window down and two up in plain stone architraves. Nos. 37A and 39A in rear wing down yard are similar, but now separate flats.	
39A Boroughgate	II	Late C18. Red sandstone ashlar, with moulded cornice and plinth. The right hand side breaks forward and has one window per storey in the front and in the side, and a hipped roof. The main portion of the front has four windows up and three down. Square-headed doorway with rectangular fanlight. All openings are hollow-chamfered.	
40 Boroughgate	II	Late C18, stone ashlar, slate roof with end stacks. Central passsage, and door on left. Three windows on ground floor and five above, all in plain stone architraves. Tethering ring.	

Building	Grade	List Description	General Notes
41 Boroughgate	II	C18, stone rubble with stone flag roof. Ground rises up hill, but the eaves are level, therefore No. 45 has lower ceilings. Two storeys. Boarded and glazed doors. Four windows on ground floor and five above, altered, in stone architraves.	
42 Boroughgate	II	Early C19. A pair of two-storeyed stuccoed houses with a central segmental arched passage between, flanked by the round-headed doors forming a triple arched feature. Two windows on either side on the ground floor, and five in all in the upper-storey - that over the archway having three lights. On the right side is a basement with two windows.	
43 Boroughgate	II	C18, stone rubble with stone flag roof. Ground rises up hill, but the eaves are level, therefore No. 45 has lower ceilings. Two storeys. Boarded and glazed doors. Four windows on ground floor and five above, altered, in stone architraves.	
44 Boroughgate	II	Early C19. A pair of two-storeyed stuccoed houses with a central segmental arched passage between, flanked by the round-headed doors forming a triple arched feature. Two windows on either side on the ground floor, and five in all in the upper-storey - that over the archway having three lights. On the right side is a basement with two windows.	
45 Boroughgate	II	C18, stone rubble with stone flag roof. Ground rises up hill, but the eaves are level, therefore No. 45 has lower ceilings. Two storeys. Boarded and glazed doors. Four windows on ground floor and five above, altered, in stone architraves.	
46 Boroughgate	II	Early C19. Stone ashlar, slate roof with stone copings and kneelers. Plain doorways. Five windows per storey in plain stone architraves but without glazing bars.	

Building	Grade	List Description	General Notes
48 Boroughgate	II	Early C19. Stone ashlar, slate roof with stone copings and kneelers. Plain doorways. Five windows per storey in plain stone architraves but without glazing bars.	
49 Boroughgate	II	Red sandstone ashlar, late C18-early C19, two storeys. Panelled doors with small fanlights in plain stone doorcases. No. 51 has a centre doorway with pediment, dentils and pilasters. No. 49 has two windows per storey, the others have two below, three above, all sashes in plain frames with glazing bars.	
50 Boroughgate	II	Late C18, stuccoed over stone, eaves cornice, long and short quoins, slate roof with stone copings and stone chimney. Two storeys. Six panelled to right with rectangular fanlight with glazing bars. Another door to left, narrow, to rear yard. Two 12-paned sash windows on ground floor and three above.	
51 Boroughgate	II	Red sandstone ashlar, late C18-early C19, two storeys. Panelled doors with small fanlights in plain stone doorcases. No. 51 has a centre doorway with pediment, dentils and pilasters. No. 49 has two windows per storey, the others have two below, three above, all sashes in plain frames with glazing bars.	
52 Boroughgate	II	C18, stuccoed, two storeys. Panelled door and rectangular fanlight, and octagonal chimney on eaves over the doorway. A smaller doorway to left. Four sash windows on ground floor without glazing bars. Five 12-paned sash windows above.	

Building	Grade	List Description	General Notes
53 Boroughgate	11	Red sandstone ashlar, late C18-early C19, two storeys. Panelled doors with small fanlights in plain stone doorcases. No. 51 has a centre doorway with pediment, dentils and pilasters. No. 49 has two windows per storey, the others have two below, three above, all sashes in plain frames with glazing bars.	
54 Boroughgate	II	Mid C19 late Georgian, two storeys, ashlar (sandstone). Panelled door and rectangular fanlight, modern ogee-arched porch. A flush-panelled door to left with fanlight. Three 8-paned sash windows on ground floor and four above.	
55 Boroughgate	II	Red sandstone ashlar, late C18-early C19, two storeys. Panelled doors with small fanlights in plain stone doorcases. No. 51 has a centre doorway with pediment, dentils and pilasters. No. 49 has two windows per storey, the others have two below, three above, all sashes in plain frames with glazing bars.	
56 Boroughgate	II	Mid C19, stone, long and short quoins, stone slate roof, two storeys. Two doors, four windows. Included for group value.	
58 Boroughgate	II	Mid C19, stone, long and short quoins, stone slate roof, two storeys. Two doors, four windows. Included for group value.	
60 Boroughgate	II	Late C18, roughcast over stone, set at right angles to road. Two storeys. Three windows in stone architraves. Gable end of No. 60, facing street, has one sash down, two in first floor and one in gable.	

Building	Grade	List Description	General Notes
62 Boroughgate	II	Late C18, roughcast over stone, set at right angles to road. Two storeys. Three windows in stone architraves.	
1-13 Boroughgate St Annes Hospital	*	Almshouses including a chapel and former communal hall, founded 1651-1653 by Lady Anne Clifford. Minor later alterations.	
		MATERIALS: local red sandstone with ashlar dressings; Welsh slate roofs. PLAN: four ranges set around the sides of a cobbled courtyard with a central western entrance, and an off-centre opening through the east side into a garden.	
		EXTERIOR: the building is situated on Boroughgate, the main medieval street of the town, on a site that slopes steeply to the north. Forming 13 houses and a chapel, it comprises low two-storey ranges constructed of red sandstone with ashlar dressings beneath hipped roofs of slate with regularly-spaced stone ridge chimneystacks. The west elevation facing Boroughgate has two storeys and seven bays, the central bay with a chamfered segmental-headed archway, with a sandstone panel bearing Lady Anne's arms and those of her mother. The three bays to either side of the entrance have a ground and a first floor window opening within plain stone surrounds, all fitted with timber eight-over-eight unhorned sash window frames; some of the present windows retain evidence of earlier surrounds with long and short jamb stones. The right return has seven regularly-spaced first floor windows in plain stone surrounds fitted largely with two-over-two sash frames, and similar windows to the ground floor, some set within earlier openings. The rear garden elevation is lime-washed with window openings in plain stone surrounds, many of which are replacements. The former communal hall at the south end (now a cottage) is lit by a two-light mullioned window to the ground and first floor, the latter also with a single narrow light, all with leaded glass. A pair of houses to the right have a single ground floor window and a pair of windows to the first floor. Window frames are mostly single or four-light, late-C20 replacements. There is an off-centre entrance through a plain wall with an attached lean-to extension, occupying the site of a demolished house, and to the right another house similarly lit to the others. The chapel occupies the corner and is lit by a two-light round-arched mullioned window with leaded glass. The main west entrance enters into a full-width passageway that opens into a cobbled and paved courtyard with a water fountain at its centre, around which are set the four ranges (divided into 13 houses and a corner chapel).	

Building	Grade	List Description	General Notes
		Each house has an entrance with either a flat or a four-centre-arched head, fitted with a boarded door; those with four-centre arches have long and short jamb stones. The houses mostly have a two-light flat-mullioned window to each floor, though those in the north range have single-light windows to each floor and those in the west range have a simple small window to each floor. Windows are mostly fixed or casements with leaded glass. By each door are carved shields of arms indicating the alliance of various noble families with the Viponts and their successors the Cliffords. To either side of the inner courtyard entrance are displayed the arms of Lady Anne's two husbands impaling her own.	
		INTERIOR: the houses each have a simple plan-form consisting of a ground floor living room/kitchen and a first floor bedroom and bathroom. One house was inspected internally and had a fire breast to one wall, a substantial, chamfered ceiling beam, a simple staircase and the remains of a truncated roof truss tie-beam. The chapel has a stone-flagged floor and a segmental plaster ceiling. There is a simple C17 panelled reading desk in the north-east corner, and there are C17 boarded benches with simply shaped ends to the sides, and shaped rails to the front. The walls are painted plaster and have a series of monochrome wall paintings with red text references. To the west wall are the Ten Commandments within paired round-headed panels. The north and south walls have texts set within rectangular panels, including the Apostles' Creed, the Lord's Prayer and the Beatitudes. The paintings to the east wall represent the Crown of Life and the Crucifix in glory above the adoring cherubs of the Day of Judgement. It is considered that those to the rear and side walls are C18 replacements of almost obliterated originals, while the design of those to the east wall may be earlier	

Building	Grade	List Description	General Notes
Moot Hall	*	Moot Hall, late C16, with C18 and early-C19 alterations; the north range was rebuilt in the early C19, altered C20. Vernacular style. Materials: rubblestone, rendered and painted white with ashlar dressings, mostly painted black; graduated Westmorland slate roofs, a lead ridge roll and metal ventiliator, and a bellcote to the south apex. Plan: a linear-plan roughly oriented north to south on an island site at the north end of Boroughgate, the principal medieval street of the town. The building comprises an original principal south range and a rebuilt north range abutting the former gable of the latter. Exterior: South Range: two storeys beneath a pitched roof with a ridge ventilator, coped verges, kneelers, quoins and a single chimneystack on the east pitch at the north. The south gable contains the entrance to the first floor hall, with a chamfered stone surround and a four-centred arched head. A re-set date stone above bears the date 1596. Its oak-boarded door is set in a renewed C20 frame with reused C17 or C18 strap hinges. At the apex is an open-sided, hexagonal bellcote retaining a single bell dated 1893. The first-floor doorway is reached by a C20 external stone stair concealed behind a semi-circular screen wall with flat pilasters, stone coping and a moulded red sandstone panel with a raised quatrefoil containing a moulded and painted shield bearing the three leopards from the Royal Arms and incised with the date 1179 (the date of the town's first borough charter). The east elevation has three late-C19 ground-floor shop fronts and doorways, all with rendered stall risers. The most southerly has a doorway with reeded stone pilasters with plinth blocks and stylised floral paterae fitted with a four-panel door, and there is a separate shop window to the right; a plain timber fascia extends above both the window and door. The central unit has a door and a taller shopforn all with matching pilasters, fascia and cornice, and a shop window divided by glazing bars. The most northerly unit has a narrow door with	Added to Historic England's Heritage at Risk Register in Autumn 2020.

Building Grade	List Description	General Notes
	The fenestration of the west elevation is also late C20, comprising two pairs of small sash windows to each floor with a large 12-pane sash stair window. Interior: South Range: the ground floor is divided into three shop units, the south and centre units connected by an inserted C21 doorway and the northern unit connected to the ground floor of the north range by an inserted late-C20 doorway. There are four original, chamfered, oak first floor ceiling beams of heavy section with deep chamfers, most with plain chamfer stops. Their soffits retain evidence of former shop partitions and one has been modified to allow for a doorway. A stone-flagged floor is retained to the southern shop, which also has a blocked alcove in its south wall thought to be a former doorway. The central shop has a late C19 or early-C20 two-register wall cupboard with sliding glazed or panelled doors, and within another cupboard first floor floorboards and a limewashed section of oak beam are visible. The shops have modern finishes, with some early-C20 tongued- and-grooved boarding to window reveals. The first floor council chamber is separated by a timber partition from an adjoining mayor's parlour to the north. The chamber is entered through a C19 lobby with a panelled inner door with chamfered details and brass fittings. Its north wall bears a First World War Roll of Honour, and to either side are alcoves with 1920s lath-and-plaster canopies; that to the south-east retains mid-C19 historic wall surfaces including ashlar-scored textured plaster and high-level moulded picture rails. The north wall of the chamber has wainscot panelling with a carved frieze of late C16 or early-C17 inter-laced strapwork. At the east and west ends there are oak-panelled doors, and above is a full-width former gallery supported on a pair of C19 fluted timber posts. The walls are plain plastered and scored with lines to resemble ashlar, above an applied adod of Lincrusta-style embossed paper, and they and the window reveals are fitted with early-C20 oak picture	

Building	Grade	List Description	General Notes
1 High Wiend	II	Early Mid C19, red sandstone with long and short quoins, four storeys. Ground floor has two doors and two small shop windows. First floor has two 12-paned sashes. Upper floors have one sash window each floor, alternately spaced.	West gable requires structural repair and the roof requires maintenance/repair.
2 High Wiend	II	Datestone of 1677. Two storeys, stuccoed with traces of timber framing within, old slate roof, stone coping on right with springer. Centre doorway and two four-light windows on ground floor, two four-light windows and a centre two-light window above, all with flat stone mullions.	Windows and surrounds require maintenance/repair.
4 High Wiend	II	Late C18 or Early C19, three storeys, roughcast. Off-centre doorway with semi-circular hood, and to the left is a segmental-headed archway flanked by a small segmental-headed doorway. Two windows on ground floor and three on first floor, all 36-paned sashes. Three 24-paned sashes on top floor.	
12 High Wiend	II	C18. No. 12 has two doors (modern) and No. 14 has a panelled door. Pebbledashed over stone, thick walls, slate roof, two low storeys. Three brick chimneys. Five sash windows on each floor, irregularly spaced.	
14 High Wiend	II	C18. No. 12 has two doors (modern) and No. 14 has a panelled door. Pebbledashed over stone, thick walls, slate roof, two low storeys. Three brick chimneys. Five sash windows on each floor, irregularly spaced.	Windows require maintenance/repair.

Building	Grade	List Description	General Notes
16 High Wiend	II	Early C19. All under the same roof. Two storeys, stuccoed over stone. No. 16 has a segmental headed yard entry, one sash window down and two up, a boarded door, stone architraves. Kingdom Hall has a panelled door and fanlight, two square windows on ground floor (possibly once a shop) and a 16-paned sash above. No. 18 has a centre panelled door and small fanlight, two 16-paned sash windows down and three up. Included for group value.	
18 High Wiend	II	Early C19. All under the same roof. Two storeys, stuccoed over stone. No. 16 has a segmental headed yard entry, one sash window down and two up, a boarded door, stone architraves. Kingdom Hall has a panelled door and fanlight, two square windows on ground floor (possibly once a shop) and a 16-paned sash above. No. 18 has a centre panelled door and small fanlight, two 16-paned sash windows down and three up. Included for group value.	Windows have been replaced with modern alternatives.
Red House Cottage, High Wiend	II	Probably C18. Red sandstone, cobbles and rubble with slate roof. Segmental arched carriage entrance.	
33 Chapel Street	II*	Office building, early C19. Classical style. Materials: coursed red sandstone ashlar, rendered to the rear and side; Westmorland slate roof. Plan: L-shaped, double-fronted central entry building, one room deep, with a narrow rear range. Exterior: a two-storey, three-bay building with partial basement, under a hipped roof of slate and with tall, brick end chimneys. There is a moulded eaves cornice, long and short quoins, sill bands to ground and first floor and a plinth. The central round-arched entrance has engaged Tuscan columns and an open pediment with a semi-circular fanlight, fitted with an original six-panel door. This is flanked by replacement, horned four-light sliding sash windows in plain sandstone surrounds, and there are three similar windows to the first floor. A stone access stair and pavement lie parallel to the front elevation. The left return is blind.	

Building Grade	List Description	General Notes
	The rear elevation has a round-headed window with Y-shaped Regency glazing bars and panes of crown glass, and the narrow, projecting range has a blocked carriage arch in its south side, and a blocked window in the east side, the latter cut by an inserted C21 window. The short, L-shaped stone wall attached to the south-east corner of the rear projecting range is not of special interest and is not included in the listing. Interior: the original plan of four principal heated rooms over two floors, set to either side of a small stair hall remains intact. There is an original, unified timber and plaster classical decorative scheme to both floors within the principal rooms and stair halls. This consists of reeded architraves with blocked corners embellished with rosettes and acanthus leaves to all window and door openings, moulded cornices, some with rosette motifs, fluted dado rails, skirting boards, shutters to windows with panelled soffits and four original six-panel doors, many with original door furniture. Fireplaces remain to three of the principal rooms. There is an early C19 stone fireplace to the ground floor north room with an inserted late C19 tiled grate, and round-headed built-in cupboards with classical decorative moulded surrounds with similar detailing to the architraves. Access through the east wall leads to the rear range occupied by a strong room by Chubb and Sons Lock and Safe Co Ltd; its door retains original door furniture including locks and the makers' name plate, and an early handwritten paper shelving schedule, listing all of the firm's clients, is attached to the inside. The south ground floor room has plain built-in cupboards lining one wall, and a cellar (now accessed by a hatch from the adjacent 33A Chapel Street) with a stone-flagged floor, numbered stone-slab storage shelves, a blocked, narrow splayed window and part of a stone, quarter winder stair. The stair hall has an under-stairs cupboard with ornate decorative moulded surround and fanlight, and there is a similarly styled timber	

Building	Grade	List Description	General Notes
33a Chapel Street	II	Dwelling above arched carriageway, early to mid-C19 with later C19 and C20 alterations.	Building is being
		Materials: coursed red sandstone ashlar, rendered; Westmorland slate roofs. Plan: a narrow	refurbished following
		rectangular building flush with the adjacent 33 Chapel Street at the rear and projecting slightly to	flood damage.
		the front. Exterior: a two bay, three-storey building under a hipped roof of slate. Although	
		rendered, it has long and short quoins (some exposed) and all openings have flush, red	
		sandstone surrounds. An entrance at the left with a C20 door is flanked to the right by a window	
		with a horned four-pane sash frame, both set within the blocking of the former arched carriage	
		entrance; the left and right jambs of the latter remain visible in the left jamb of the entrance and	
		the right jamb of the window respectively. To the right is the original, blocked entrance. There	
		are two windows to each upper floor fitted with horned two-pane sash window frames. The right	
		return is blind except for a single window to the upper floors. The rear elevation has a central	
		ground floor window flanked by a doorway, a single window to the first floor, and a yellow brick	
		chimney with a soot box. The attached brick, single-storey rear range is not of special interest	
		and is not included in the listing. Interior: now entered into a stone-walled passage at the north	
		end of the building, where a hatch gives access to the cellar beneath number 33 Chapel Street;	
		the hatch lintel is a re-used piece of early timber with peg holes. The inserted mid-C20 L-shaped	
		stair rises from the end of the passage. Much of the interior across the three floors is devoid of	
		historic features, but there are a few fittings of note. These include a section of the original early	
		C19 staircase from first to second floor with moulded nosings to the tread, two early C19 plank	
		and batten doors, an under- stairs cupboard, a length of simple plank panelling and narrow	
		beaded cornicing, and kitchen fittings comprising a later C19 stone fireplace with an ornate cast-	
		iron range and adjacent ceramic sink on a stone pier. Lower sections of the roof trusses are	
		visible within the attic, and both historic and replacement elements of the roof structure could be	
		partially viewed through an opening in the attic ceiling.	

Building	Grade	List Description	General Notes
2 Low Wiend	II	Early C18, red sandstone rubble, slate roof, brick chimneys, two storeys. Stone copings and kneelers. A segmental arched carriage-way to left (leading to yard of the Crown and Cushion). A moulded doorway of circa 1700, two sash windows and a modern window on ground floor, and four 12-paned sash windows above. A clock face inserted in upper wall.	
3 Low Wiend	II	Early C18, red sandstone rubble, slate roof, brick chimneys, two storeys. Stone copings and kneelers. A segmental arched carriage-way to left (leading to yard of the Crown and Cushion). A moulded doorway of circa 1700, two sash windows and a modern window on ground floor, and four 12-paned sash windows above. A clock face inserted in upper wall.	
1 Bridge Street	II	Early C19, red sandstone, with quoins. No. 1 is two storeys, with three sash windows on upper floor, one new window below. No. 3 (King's Head) has three storeys and two strings, tethering ring on wall, eaves cornice, centre doorway with moulded architrave and cornice, four sash windows ong round floor and five on upper floors, with glazing bars removed. Portion to left was once coach-houses etc. and has wide depressed arch, segmental arched doorway, three light sash window down and a single sash up.	
3 Bridge Street	II	Early C19, red sandstone, with quoins. No. 1 is two storeys, with three sash windows on upper floor, one new window below. No. 3 (King's Head) has three storeys and two strings, tethering ring on wall, eaves cornice, centre doorway with moulded architrave and cornice, four sash windows ong round floor and five on upper floors, with glazing bars removed. Portion to left was once coach-houses etc. and has wide depressed arch, segmental arched doorway, three light sash window down and a single sash up.	

Building	Grade	List Description	General Notes
4 Bridge Street	II	Early C19, ashlar, three storeys, ground floor with double shop front with dentilled cornice and blind-case. Three 8-paned sash windows on each upper floor in plain stone architraves.	
5 Bridge Street	II	Early C19, ashlar, three storeys, eaves cornice, long and short quoins, strings at sill level. Centre passage entrance with traceried rectangular fanlight. Two shop fronts - that of No. 5 is early C20, with thin colonnets, leaded coloured lights, panelled pilasters, fascia and cornice. Four sash windows each upper storey, those of No. 5 being 16-paned.	
6 Bridge Street	II	C18, stuccoed stone rubble, stone quoins, low two storeys. A C20 shop front with pilasters, fascia, cornice and blind-case. Old low doorway (to No. 6). Four sash windows above, the two on the right being lower. Slate roof.	Windows require maintenance/repair.
7 Bridge Street	II	Early C19, ashlar, three storeys, eaves cornice, long and short quoins, strings at sill level. Centre passage entrance with traceried rectangular fanlight. Two shop fronts - that of No. 5 is early C20, with thin colonnets, leaded coloured lights, panelled pilasters, fascia and cornice. Four sash windows each upper storey, those of No. 5 being 16-paned.	
8 Bridge Street	II	C18, stuccoed stone rubble, stone quoins, low two storeys. A C20 shop front with pilasters, fascia, cornice and blind-case. Old low doorway (to No. 6). Four sash windows above, the two on the right being lower. Slate roof.	
9 Bridge Street	II	Mid C19, ashlar, quoins, three storeys, ground floor with two large round arches on engaged columns & with glazing bars. Two sash windows each upper floor with bands at sill levels. Ground floor rusticated.	

Building	Grade	List Description	General Notes
10 Bridge Street	II	Probably C18 with later alterations. Now a grocer's shop with new brick front with two large shop windows. Two storeys, the upper storey of red sandstone, with two 16-paned sash windows to left, and two modern windows on two upper floors to right, all under same roof. Good C18 staircase inside.	Now a café. Windows have been replaced with modern alternatives.
11 Bridge Street	II	C18, roughcast, two storeys, low proportions. Modern shop front. Passage doorway to left, with a 12-paned sash window over. Two other sash windows above.	Evidence of a blocked window opening.
12 Bridge Street	II	Probably C18 with later alterations. Now a grocer's shop with new brick front with two large shop windows. Two storeys, the upper storey of red sandstone, with two 16-paned sash windows to left, and two modern windows on two upper floors to right, all under same roof. Good C18 staircase inside.	Now a office. Windows have been replaced with modern alternatives.

Character area 8 Listed buildings

Building	Grade	List Description	General Notes
5 Chapel Street	II	C18, stone rubble partly pebbledashed, two storeys, long and short quoins. Nos. 5 and 6 have two sash windows down and three up, one boarded and one glazed door. No. 7 has roundheaded doorway with moulded keystone, imposts and fanlight, two windows each floor.	
6 Chapel Street	II	C18, stone rubble partly pebbledashed, two storeys, long and short quoins. Nos. 5 and 6 have two sash windows down and three up, one boarded and one glazed door. No. 7 has roundheaded doorway with moulded keystone, imposts and fanlight, two windows each floor.	
7 Chapel Street	II	C18, stone rubble partly pebbledashed, two storeys, long and short quoins. Nos. 5 and 6 have two sash windows down and three up, one boarded and one glazed door. No. 7 has roundheaded doorway with moulded keystone, imposts and fanlight, two windows each floor.	
8 Chapel Street	II	C18. Slightly higher than No. 7. Roughcast and pebbledashed. Two storeys. Depressed arched carriage entry between Nos. 9 and 10. Six windows on ground floor and eight above, glazing bars removed. No. 10 has lean-to porch. Round-arched stair window at rear.	
9 Chapel Street	II	C18. Slightly higher than No. 7. Roughcast and pebbledashed. Two storeys. Depressed arched carriage entry between Nos. 9 and 10. Six windows on ground floor and eight above, glazing bars removed. No. 10 has lean-to porch. Round-arched stair window at rear.	Windows have been replaced with modern alternatives.
10 Chapel Street	II	C18. Slightly higher than No. 7. Roughcast and pebbledashed. Two storeys. Depressed arched carriage entry between Nos. 9 and 10. Six windows on ground floor and eight above, glazing bars removed. No. 10 has lean-to porch. Round-arched stair window at rear.	

Building	Grade	List Description	General Notes
11 Chapel Street	II	C18. Slightly higher than No. 7. Roughcast and pebbledashed. Two storeys. Depressed arched carriage entry between Nos. 9 and 10. Six windows on ground floor and eight above, glazing bars removed. No. 10 has lean-to porch. Round-arched stair window at rear.	Windows on ground floor have been replaced with modern alternatives.
15 Chapel Street	II	Mid C19. Roughcast over stone, with slate roof and stone quoins. No. 15 was probably the schoolhouse, two storeys, with gable end facing the road and two 16-paned sash windows on each floor; door on left hand return side. The former school was founded 1808 and has inscribed stone "British School 1849", single storey, now builders' merchants, with a round-arched doorway and a pair of Gothic style windows.	Windows have been replaced with modern alternatives.
16 Chapel Street	II	Late C18, roughcast over stone rubble, with long and short stone quoins, slate roof, two storeys. Segmental arched carriage entry with rusticated voussoirs. Four modern doors and four windows on ground floor, five above, all sashes with glazing bars removed.	Windows have been replaced with modern alternatives.
17 Chapel Street	II	Late C18, roughcast over stone rubble, with long and short stone quoins, slate roof, two storeys. Segmental arched carriage entry with rusticated voussoirs. Four modern doors and four windows on ground floor, five above, all sashes with glazing bars removed.	Windows have been replaced with modern alternatives.
17A Chapel Street	II	Late C18, roughcast over stone rubble, with long and short stone quoins, slate roof, two storeys. Segmental arched carriage entry with rusticated voussoirs. Four modern doors and four windows on ground floor, five above, all sashes with glazing bars removed.	Windows have been replaced with modern alternatives.
18 Chapel Street	II	Late C18, roughcast over stone rubble, with long and short stone quoins, slate roof, two storeys. Segmental arched carriage entry with rusticated voussoirs. Four modern doors and four windows on ground floor, five above, all sashes with glazing bars removed.	

Building	Grade	List Description	General Notes
19 Chapel Street	II	Late C18, roughcast over stone rubble, with long and short stone quoins, slate roof, two storeys. Segmental arched carriage entry with rusticated voussoirs. Four modern doors and four windows on ground floor, five above, all sashes with glazing bars removed.	
20 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.
21 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.
22 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.
23 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.
24 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.

Building	Grade	List Description	General Notes
25 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.
26 Chapel Street	II	Late C18, roughcast over stone rubble, with slate roof and brick chimneys, two storeys. Segmental arched carriage entry between Nos. 24 and 25. Boarded doors with small fanlights. Each cottage has one sash window on each floor.	Windows and door have been replaced with modern alternatives.
27 Chapel Street	II	Late C18, pebbledash over stone rubble, two storeys, eaves cornice, long and short quoins, string between storeys. Three modern glazed doors. Three sash windows on each floor. Said to be formerly a boarding house of the Old Grammer School.	
28 Chapel Street	II	Late C18, pebbledash over stone rubble, two storeys, eaves cornice, long and short quoins, string between storeys. Three modern glazed doors. Three sash windows on each floor. Said to be formerly a boarding house of the Old Grammer School.	
29 Chapel Street	II	Late C18, pebbledash over stone rubble, two storeys, eaves cornice, long and short quoins, string between storeys. Three modern glazed doors. Three sash windows on each floor. Said to be formerly a boarding house of the Old Grammer School.	
30 Chapel Street	II	Late C18, pebbledashed stone rubble with slate roof, two storeys. Three modern doors, three sash windows on each floor in chamfered red sandstone architraves. No. 31 larger, with centre door, two sash windows down and three up.	

Building	Grade	List Description	General Notes
31 Chapel Street	II	Late C18, pebbledashed stone rubble with slate roof, two storeys. Three modern doors, three sash windows on each floor in chamfered red sandstone architraves. No. 31 larger, with centre door, two sash windows down and three up.	
32 Chapel Street	II	Late C18, pebbledashed stone rubble with slate roof, two storeys. Three modern doors, three sash windows on each floor in chamfered red sandstone architraves. No. 31 larger, with centre door, two sash windows down and three up.	
Wall containing Bainbrigg Stones	II	Stone wall incorporating a C16 collection of inscribed stones. DESCRIPTION: a length of low red sandstone wall standing about six courses high with flat coping stones, forming the boundary between a sports field and Chapel Street. The wall incorporates some of Reginald Bainbrigg's late-C16 collection of inscribed stones. There are 16 stones in total including four identified as late-C16 copies of Roman inscriptions (Roman Inscriptions of Britain (RIB): 998; RIB 2285; RIB 1202 and one now lost) and six late-C16 inscriptions made for Bainbrigg in the Roman style. Two others are considered to be copies of Roman stones but have no inscriptions. One is generally accepted to be an original altar from Whellep Castle, Kirby Thore (RIB 759) with a dedication to Belatucadrus. The remaining three stones are of indeterminate origin.	

Character area 9 Listed Buildings

Building	Grade	List Description	General Notes
The Cloisters	*	1811 by R. Smirke, built as a visual termination of the lower end of the main street. Arcade of seven pointed arches in ashlar, the centre three arches being open and giving access to the churchyard by a rear gate. Over the arcade is a battlemented parapet. The centre portion is stepped up and has the Appleby arms and date 1811 in a quatrefoil panel. At each end of the arcade is a square two-storey tower with machicolated parapet, square-headed door and window in lower storey, and lancets above with hood-moulds, and lancets above with hood-moulds. Right hand tower (east) is a shop. No. 1 Boroughgate.	Internal space used for shop and office.
St Lawrence Church		Anglican church, C12; porch C13; nave and aisles early C14; restored in the C17 with C18, C19 and C20 alterations. Decorated (interior) and Perpendicular (exterior). MATERIALS: coursed sandstone rubble with ashlar dressings; lead roofs, with slate to the vestry. PLAN: a two-bay chancel and four-bay nave with a three-stage west tower and a south-west porch; full-length north and south aisles with north and south chapels; a vestry to the north west corner. EXTERIOR: the church is situated within a loop of the River Eden at the foot of the medieval street linking the church and the castle. All window and door openings have hood moulds with label stops, and the glass is mostly leaded. The east end of the shallow-roofed chancel has stepped buttresses, a chamfered plinth and string course, and a central three-light Perpendicular window within a chamfered double-order pointed-arch. A simple pointed-arched cinquefoil window pierces the end of the south chapel and a pointed-arched window with two cinquefoil lights pierces the end of the north chapel. The north and south aisles have a plain parapet above a string course, and square-headed windows of paired trefoil lights alternating with stepped buttresses; there is a pointed-arched entrance to the south chapel, and a pair of two-light, pointed-arched windows lighting the north chapel. A clerestory with an embattled parapet rises above the aisles; it has segmental-headed windows of three trefoiled lights with pierced spandrels above the side lights alternating with buttresses, one of which on the north aisle retains a pinnacle and three on the south aisle retain stumps of others and three carved gargoyles in animal form. The three-stage west tower has thick walls of C12 masonry to its lower and mid sections, and there is a string course to the south and west elevations; the former also has a pair of loops lighting a staircase. The upper embattled stage is of large, ashlar blocks with paired square-headed belfry windows of two trefoiled lights to each face and the parti	

Building Grade	List Description	General Notes
	There are late-C17 clock faces to the south and east walls, a shoulder-arched C19 doorway to the south wall and a C19 window in west wall. A substantial embattled south porch with a lean-to roof and sundial to the parapet has a wide entrance of three moulded orders in a two-centred arch with truncated hoodmould. The outer two orders are hollowed and the middle order is enriched with dog tooth ornament; the arch rests on jambs of three orders, the central one continuing the dog-tooth ornamentation. Between the orders are the remains of moulded capitals, their shafts missing. The polygonal vestry with a shoulder-arched doorway is set between the north aisle and the tower and has a moulded plinth, stepped buttresses, square-headed windows of three cinquefoil lights with a string course and parapet above, and an octagonal stone chimney stack. INTERIOR: there are whitewashed walls and stone flagged floors throughout, with encaustic tiles to the raised sanctuary floor. The south arcade of the chancel and the chancel arch are double-chamfered pointed-arches with quatrefoil piers; the north arcade is later. The floor has renewed red sandstone flags and a set of late-C19 choir stalls to either side placed in front of an earlier set. There are half-arches either side of the chancel arch, defining the north and south chapels which have exposed roof timbers: a rafter in the south chapel is inscribed: 'ANN CONNTESSE OF PEMBROKE IN ANO 1655 REPAIRED ALL THIS BYILDING' and a rafter in the north chapel records her initials and the date. Beneath the north chapel there is a vault reached by a set of stone steps, containing Lady Anne's lead coffin, shaped to her body. The five-bay nave has early-C14 north and south arcades which are double-chamfered and supported on quatrefoil piers, the foils more than semi-circular and with fillets. The nave has a flat plaster ceiling with Gothick panelling and roses with a decorative cast-iron truss at the west end. The tower arch at the west end is off-centre and also of early-C14 date, as i	

Building	Grade	List Description	General Notes
		FIXTURES AND FITTINGS: traceried screens with trefoiled ogee heads occupy the north and south chancel arcades. Those to the western arches are thought to be C18 and that to the eastern arch of the south arcade is at least C16; the latter of four bays with an opening, above which are the heads of a further two bays, has large moulded mullions and a moulded and embattled middle rail and door head. A four bay screen also occupies the half-arch of the south chapel. There is an octagonal C19 font of Frosterly Marble and an octagonal C19 iron-worked pulpit and an oak-eagle lecture. C19 box pews fill the nave and aisles, and at the front on the north side of the nave are the 'Corporation Pew' and the 'Castle Pew' dating from about 1720, each with a carved panel with a coat of arms and its supporters. The Corporation Pews incorporate C18 timber detail including a Foliate Man with dragon, possibly re-used from the original organ case. In the nave above the east chancel arch is a painted board of C17 or C18 date containing the Royal Coat of Arms of Charles II. The organ within the tower arch at the west end comprises three turrets with three cherubs' heads below the cornice, surmounted by the arms of three chief benefactors, Viscount Lonsdale, Colonel Graham and Sir Richard Sandford. All of the stained glass is C19 apart from two fragments of early stained glass in the north chancel aisle east wall. Three windows in the south aisle are by Heaton, Butler & Burne and others are by William Wailes (including a depiction of St Lawrence) or Wailes & Sons.	
		MONUMENTS: Lady Anne Clifford's altar tomb and reredos in black and white marble is situated against the north wall of the north chapel. It comprises a black marble slab with moulded edges and a panelled base with an inscription in black, set in a plain white frame; the reredos has 24 shields of arms standing in relief. Beneath the Lady Chapel there is a vault containing the lead coffin of Lady Anne Clifford, shaped to her body. Also in the north chapel is the tomb of Margaret Countess of Cumberland: her effigy is shown resting on a base of black marble and alabaster bearing the coats of arms of her ancestors and inscriptions recording her virtues. There are several C18 tablets to the South Chapel walls and south porch.	

Building	Grade	List Description	General Notes
War memorial in St Lawrence's churchyard	II	The war memorial cross is located to the south of the Grade I-listed Parish Church of St Lawrence and near to the Grade II*-listed The Cloisters. It is also in close proximity to a number of Grade II-listed buildings along Bridge Street. The memorial takes the form of a stone wheel-head cross with richly carved interlace patterns carved in relief to the south face of the cross-head and shaft. The cross shaft rises from a tapering plinth, square on plan, surmounting a two-stepped square base. All lettering is incised. The principal dedicatory inscription to the south face of the plinth reads IN MEMORY/ OF THOSE FROM THE PARISHES/ OF ST LAWRENCE & ST MICHAEL/ WHO FELL IN THE GREAT WAR./ 1914 - 1918./ "THEIR NAME LIVETH FOR EVERMORE". Fifty-one commemorated names are recorded on the remaining faces of the plinth, with one soldier's name	
		recorded to the north face of the upper-step of the base.	

